

Order form - Teckentrup 62 1/2 Swing Secure

Date:	Customer Order Number:	Number of Sheets:
Customer Name:		Contact Number:
Deliver To:		Invoice To:

Handing always viewed from outside the garage

Opening

Double RIGHT
Leading
Open OUT

Double LEFT
Leading
Open OUT

Single RIGHT
Hinged
Open OUT

Single LEFT
Hinged
Open OUT

Ordering width = Structural opening -10mm

Ordering Width:

Ordering height = Structural opening -5mm

Ordering Height:

Quantity:

Colour, Frame & Hinges	Colour	Hinges	Frame	Handles	
	White RAL 9016	KO Hinges (Standard) (Colour Matched)	Block		Stainless Steel Lever
	Black RAL 9005		Corner		D Handle 1200mm Quantity:
	Anthracite RAL 7016	Stainless Steel	Corner Counter*		D Handle 1500mm Quantity:
	Trend:		*Reveal Depth:		
	RAL:		Frame Options:		
			FB Flush Profile		


Glazing	Window Type	Window Position	Glazing	Accessories
	230 x 1360 300 x 300	Window position when viewed from the <u>outside</u> See technical sheet for position data	Clear Satin	

Decals	Type Access 1	431 x 40		Type Access 7	150 x 150		Quantity: Please describe the position of the <u>decals</u> required. Eg, top panel evenly spread or vertically aligned on the left or vertically aligned on the right.
	Type Access 2	430 x 40		Type Access 8	194 x 194		
	Type Access 3	215 x 40		Type Access 9	436 x 40		
	Type Access 4	400 x 86		Type Access 10	431 x 13		
	Type Access 5	180 x 180		Type Writing 1	100	2	
	Type Access 6	70 x 70		Type Writing 2	200	2	


Notes

TOTAL £


Ordering Size




Teckentrup 62 1/2 Swing Secure Block Frame (Classic)




Block Frame FB Detail




Teckentrup 62 1/2 Swing Secure Corner Frame (Wrap)




Corner Frame FB Detail



Teckentrup 62 1/2 Swing Secure Corner Counter Frame (Wrap)




Corner Counter Frame FB Detail




Windows

CarTeck Swing Secure Standard Window Positions



3 windows



2 windows



1 window




D-Handles

CarTeck Swing Secure D-Handle Positions

1200mm

To the centre
of the handle

150mm



1500mm

To the centre
of the handle

150mm

