



### WHERE TO BEGIN?!

STRONG & MORE SECURE



Page 4

KEEP THE ELEMENTS AT BAY



Page 6

EASIER PARKING, MORE SPACE



Page 8

SMART TECHNOLOGY OPENERS



Page 10

MADE TO MEASURE, MADE TO LAST



Page 14

MAXIMUM SAFETY & PERFORMANCE



Page 16

THE STYLES



Page 18

STYLE OPTIONS - WINDOWS & BLING



Page 38

### 8 GOOD REASONS FOR A

CARTECK SIDE HINGED



Page 44

Looking for something different?



official Police Security Initiative

**TECKENTRUP 62 SWING SECURE** 



### Making the garage part of your home

Garages are often draughty, cold and uninviting spaces and opening a tilting garage door can be a shin cracking chore. CarTeck Automatic changes everything.

CarTeck Automatic is a design and precision engineering led garage door. Wonderful architect grade finishes and styling are married with certified thermal performance.

Operation is by an integrated smart technology remote control motor, the CarTeck Drive.

Opening your door becomes effortless, safe and secure. It brings your garage back to being part of your home.

Explore the pages ahead to see why CarTeck Automatic is...

Harmony in motion.



### **CARTECK AUTOMATIC DOOR**






Even easy riders are impressed! Thanks to a high-quality steel core and durable multiple coating, our sectional door panels withstand the toughest conditions. TÜV-certified quality ensures top marks for safety and durability. Our CarTeck garage doors are tough as steel and meet the heavy-duty demands for everyday use.

Once inside you can rest easy too - CarTeck Automatic is very strong and designed for burglary resistance, keeping your possessions safe and protecting any access doors into your home.

The doors' physical strength characteristics are an impressive barrier and CarTeck Automatic's opener adds a further layer of security.





The opener actively monitors the door and, if any attempt is made to force the door up, the motor engages and pushes back with a 60kg force!


Add our extra-security pack and the magnetic motor lock mechanically locks the motor in any position up to an impressive 300kg of force. The pack also adds an alarm buzzer that recognises a break-in attempt and outputs a loud deterrent signal tone.





### WARM, DRY & FEWER DRAUGHTS

Garages can be dust blown, cold, draughty and damp places. CarTeck Automatic is designed to bring your garage back into your home.









### WEATHER PROTECTION

Bottom, side, top and inter-panel weather protection keeps out the elements and lowers energy use.

### WHAT PERFORMANCE CAN I EXPECT?

As part of the CE marking process, each product must have its performance provided for a defined set of characteristics to allow fair comparison between products from different manufacturers. Other characteristics can also be included, if relevant to a door's performance. The following table shows the performance characteristics of CarTeck sectional garage doors.

### PERFORMANCE CHARACTERISTIC RATING

Resistance to Windload EN 12424	Class 2
Watertightness EN12425	Class 2
Air Permeability EN 12426	Class 2
Thermal Transmittance EN 13241 - 1	1.38 W/m²k
Operating Forces (hand Operated) EN 12604	150 N

### INSULATION 'U VALUE"

What's in a number? Our 40mm thick panels have an insulating value that has been independently tested to 0.56 W/m<sup>2</sup>K. The lower the value the better the insulating properties.

It's not a figure we tend to quote because we know a door is more than just a panel. We quote the

insulation value for a complete door (8'0" wide x 7'0" high) including the panel joints and weather strips. CarTeck Automatic has an insulation 'U value' of 1.38 W/m<sup>2</sup>K - you won't find better performance on any comparable garage door.





### EASIER PARKING & BETTER USE OF SPACE



### OPERATIONAL SAFETY, NEAT & HIDDEN AWAY

Springs are concealed high up in the top tray - safely away from little fingers. Unsightly, open torsion springs are history. CarTeck trays also keep the springs in pristine condition, ensuring long-term smooth and quiet operation.






### FLEXIBLE USE OF SPACE

Vertical opening means CarTeck Automatic fits all shapes of garage opening and even in garages with very little headroom.



### EASIER PARKING

There's no denying cars are wider and taller than they used to be. Unlike old design up and over doors, CarTeck Automatic fits behind the garage opening typically adding up to 150mm to the width and at 75mm to the height -stress free parking is the result!



CarTeck sectional doors travel vertically with no out-swing allowing you to make the most of the parking space on the drive and inside the garage.








...After!



Maximum clearance





Up... out... and over... No thanks!



...Park as close as you like!



### CarTeck DRIVE®

### HEAVY WORK? EFFORTLESS, INTEGRATED & SMART

### MAKING THINGS EASIER

CarTeck Automatic makes so much sense. The fixed chain drive of the CarTeck Drive range is quieter and renowned for long-term reliability compared to revolving chain or belt designs.

Our doors and openers are independently certified to all current safety legislation and carry a CE mark.

### CARTECK DRIVE 500

DRIVE

The integrated drive and control unit of the CarTeck DRIVE 500 and 600 fits discreetly above the door.

Both the DRIVE 500 and the 600 can lift any size door. The 600 is available with all the option packs and the 500 is available with selected options see page 12-13.

See the table right for a specification overview of each model





### CARTECK DRIVE PRO 500 600

The separate control unit of the CarTeck DRIVE PRO 500 and 600 allows for flexible installation at a location close to available power sockets.

Both the DRIVE PRO 500 and the 600 can lift any size door. The 600 is available with all the option packs and the 500 is available with selected options - see page 12-13.

See the table below for a specification overview of each model.



	POWER	TRANSMITTERS	SPEED	LIGHTING	OPTIONS
DRIVE PRO 500	500Nm	2 x Pearl Twin	180mm/sec	1 x 3 LED Motor Light	Selected option packs see pg. 12-13
DRIVE PRO 600	600Nm	2 x Pearl	240mm/sec	1 x 6 LED Motor Light	All option packs see pg. 12-13

Pearl Twin

transmitter



DRIVE PRO 500 or 600 low level front mounted control



DRIVE PRO 500 or 600 ceiling mounted control



DRIVE PRO 500 or 600 low level rear mounted control

### PEARL TWIN

The Pearl Twin transmitter has twin buttons that can be configured for two functions such as open and close and turn on the light.

SMART TRANSMITTERS

### PEARL

The Pearl transmitter has four buttons that can be configured to suit your requirements open and close, turn on the light, operate a second door and so on.



### **COMPLEMENTARY CONTRO**

### CarTeck DRIVE®

Our function packs place you in control. Clever technology takes the guess work out of parking, keeps your garage dry, lights your way and keeps you moving even if power fails.

### PARKING PACKS

A laser sensor to guide you to the perfect parking point combines with a humidity sensor. If you drive your car in wet and the humidity in the garage rises, the sensor automatically opens the door a short distance to allow fresh air in, helping prevent mould forming. When humidity levels drop, the sensor automatically closes the door.

# PARKING PACK 2 PARKING PACK 2 Humidity Sensor Laser & reflector


### POWER PACK

A simple battery backup for power failure operation. The battery module assumes the power supply of the operator for up to 5 door cycles.




### AMBIENCE PACK 1

Need more light? Extra lighting strips for the control units can be combined with the motion sensor to switch on automatically as you enter. No more crashing about in the dark!



### AMBIENCE PACK 2

Add a relay to allow control of other garage or garden lighting for even more flexibility.



### AMBIENCE PACK 3

These clever LED strips are easily positioned on the underside of the door tracks with magnetic tape. They flood the garage with 6000 lumens of light (equivalent to around 400 watts of incandescent light!) Four linked LED strips are activated by the kits' motion sensor or infra red remote control.




### L, SO CLEVER...

### **SECURITY PACK 1**



A magnetic motor lock that mechanically locks the motor in any position (even with ventilation function) up to an attack force of 300 kg, increasing the existing security.

The alarm buzzer recognises a break-in attempt and outputs a loud signal tone. The warning buzzer outputs an acoustic signal as the door closes.



### **ACCESS PACK 1**

If you don't want to carry a transmitter you can operate your door from a wall mounted outdoor keypad. It's the perfect solution if you're out cycling or for family members that use the door occasionally.



### ACCESS PACK 2



For extra convenience you can control your door and check its position from within your home with a two function wall switch available in grey or white finish. Similar in size to a standard single light switch.



Wall Switch

### SAFETY PACK



Add non-contact obstruction detection with Photoeye that uses an infra-red light beam across the opening to stop the door when the beam is broken.






### SECURITY PACK 2

A relay that allows control of other garage or garden / security lighting.

The alarm buzzer recognises a break-in attempt and outputs a loud signal tone. The warning buzzer outputs an acoustic signal as the door closes.



### TRANSMITTERS

Adding additional transmitters is simple - choose Pearl Twin or Pearl transmitters (see page 11) or the bidirectional capability of the Pearl Vibe, below.

### THE PEARL VIBE




The Pearl Vibe transmitter option vibrates in your hand confirming that the control unit has received your command. It can also confirm if your door is open or closed using bidirectional communication between the opener and transmitter.



### SMART PACK



The Output module transfers the door status (open/ closed) allowing you to integrate your garage door into Smart Home systems.



### SOMWEB SMART PHONE CONTROL

The secure SOMweb Smart Home solution where your data stays safely inside your garage! Our system enables you to control your garage door via a smartphone app or web browser. Meanwhile, your data is kept safe, as it is not stored on external servers.



## MADE TO MEASURE MADE TO LAST

### SUPERB MANUFACTURING

Our door leaves compromise eight different layers, which gives them extraordinary wear resistance and durability.

- a Sealed top coating
- b Highly effective adhesion primer
- C Corrosion-resistant galvanized
- d Steel core
- e Corrosion-resistant galvanized
- f Highly effective adhesion primer
- 9 Protective coat on rear side
- h Highly-stable core made of special foam with integrated thermal insulation

f

е

g

h

d

C

b

Whether you have a new garage or you're updating the look of your home, choosing quality protects the value of your home – for tomorrow and the generations to come.

As a family business, we see things in the same light. Only a solution that retains its value for years is really a good investment - CarTeck Automatic



### MATCHED FRAMES

A simple one, but overlooked by many other garage door companies.
Teckentrup doors all have colour matching frames, giving your new door serious kerb-appeal.

### ROBUST & DURABLE

### CORROSION PROTECTION

A special plastic element separates the vertical frame sections from the floor. Whether after a rain shower or in the case of creeping dampness - the design ensures that the base area is always aerated, dries quickly, and is hence better protected against corrosion.



### DURABLE SURFACE PROTECTION

The galvanized garage door frames have a high-quality top coating. This protects the doors from external influences and they remain just as decorative after several years as they were on the first day, with just a little regular care and maintenance.



### EXACT FIT DIMENSIONS

Whether you're renovating or building anew - Teckentrup sectional garage doors fit perfectly into every installation situation. Door widths of up to 5.5m and door heights of up to 3m are made to measure for the right fit. Every door is superbly manufactured to exacting standards.



### MAINTENANCE

Doors must be maintained as per the supplied Installation, Operating and Maintenance Manual by a Garage Door Specialist. Failure to carry out the required maintenance at the advised interval will invalidate the warranty.

### CLEANING ON INSTALLATION

After the installation has been completed, clean and dry the door thoroughly inside and out with warm soapy water to remove any grease, dust and metal fragments from the door (these will discolour the door finish if left on the door).

### CLEANING

The door should be washed with a car shampoo or similar, every two months, to prevent the build up of dirt, salt, grit and other corrosive substances. If the door is in an area prone to coastal corrosion from airborne salts. the door should be cleaned monthly. Furthermore, cleaning lifting gear with a cloth soaked in a light oil will help to protect your door from corrosion – it must be accepted that salt air is very aggressive and extra care is required. No caustic, abrasive or corrosive chemicals and substances flood water, water runoff, or runoff from lead, copper or galvanic metal flashing should be allowed to come into contact with the door.

Ash, cement, dust, animal waste, or foreign substances should be removed immediately. Failure to ensure the door is cleaned and maintained as described will invalidate the doors' warranty.



### SAFETY ABOVE ALL






### CONCEALED SPRINGS

Springs are concealed high up in the top tray - safely away from fingers.

The trays also keep the springs in pristine condition, ensuring long-term smooth and quiet operation.



In the event of power failure, the motor can be disengaged using the discreet external release. This should be fitted if no alternative access to



the garage is available to allow manual operation of the door until power returns.



### SAFETY SENSING



The motor control units' safety circuits monitor force levels many times every second. If the door encounters an obstruction, it is instantly sensed and the motor stops and reverses a short distance.

### 6 POINT GUARANTEE

The warranty periods below only apply to products that have been correctly installed as per the instructions, maintained by a Garage Door Specialist and operated and cleaned in accordance with the requirements set out in the operating and maintenance sections of instructions and labels.

### 2-year manufacturer's quarantee

on polymer and aluminium window units

### 5-year manufacturer's guarantee

on rollers, hinges, cable pulleys, cables and standard springs (opening/closing max. 5 times a day)

### 10-year manufacturer's guarantee

- on panels against rust penetration from inside to outside
- against door panel separation of steel from foam
- on material and manufacturing flaws of all nonmoving parts of the frame that are verifiably unusable or whose usability is substantially compromised
- on floor seal, intermediate seals, side seals and lintel seal against rotting

The guarantee does not apply to doors that are subjected to extreme conditions, e.g. corrosive influences resulting from use in a coastal climate with high salt content.

Our doors and openers are independently tested and certified to all current safety legislation and carry a CE mark.


Terms & conditions apply - see: www.teckentrupdepot.co.uk



### SAFETY & PERFORMANCE



### **CarTeck Automatic Solid**



### The Modern Master

Simple, clean design sets apart the CarTeck Automatic Solid as <u>the</u> contemporary choice.





### Problem:

When you pop into the garage through a connecting door, you're always fumbling for the light switch!

### **SOLUTION! "AMBIENCE PACK":**


These clever LED strips are easily positioned on the underside of the door tracks with magnetic tape. They flood the garage with 6000 lumens of light (equivalent to around 400 watts of incandescent light!) Twin strips are activated by the kits' motion sensor or infra red remote control.







### CarTeck Automatic Solid










Safety Pack



### CarTeck Automatic Centre Ribbed



### The Style Master

Our most popular style. CarTeck Automatic's centre ribbed proportions give the door a refined designer feel that just works!





### Problem:

Don't want to take your remote with you?

### **SOLUTION! "ACCESS PACK":**


If you don't want to carry a transmitter you can operate your door from a wall mounted outdoor keypad. It's the perfect solution if you're out cycling or for family members that use the door occasionally.






### CarTeck Automatic Centre Ribbed









Safety Pack



### CarTeck Automatic Standard Ribbed



### Simple, Timeless

Horizontal rib styling is wonderfully simple way to create a design that is at home on any style of house, choose white, wood effect or add a splash of colour!





### Problem:

Going on holiday and worried about security?

### **SOLUTION! "SECURITY PACK":**

The magnetic motor lock that mechanically locks the motor in any position (even with ventilation function) up to an attack force of 300 kg, thereby improving the existing breakin protection.

The alarm buzzer recognises a break-in attempt and outputs a loud signal tone. The warning buzzer, on the other hand, outputs an acoustic signal as the door closes.








### CarTeck Automatic Standard Ribbed









Safety Pack



### CarTeck Automatic Georgian



### The Classic

The Georgian design features are a timeless favourite and work beautifully with the addition of windows for an added accent and natural light.





### Problem:

Worried about the rain? Parking a wet car in a garage can create humidity issues and even promote corrosion!

### **SOLUTION! "PARKING PACK":**

If you drive your car in wet and the humidity in the garage rises, the sensor automatically opens the door a short distance to allow fresh air in, helping prevent mould forming. When humidity levels drop, the sensor automatically closes the door.





### CarTeck Automatic Georgian



Carteck Georgian - Woodgrain Jet Black RAL 9005

### Surface Textures



 ${\sf Woodgrain}$ 

### A note about colour


Where doors are exposed to direct sunlight, dark colours should be avoided.

RAL references for colours are provided as a guide only to the nearest similar RAL colour. Colours will not match to other RAL finishes due to different coating processes, gloss levels, substrates and textures. Similarly, special RAL, BS or other colours will not be a precise match.


 ${\tt Colours\ shown\ are\ limited\ in\ accuracy\ by\ the\ printing\ process\ -\ samples\ should\ always\ be\ requested.}$ 

Wood Design frame legs, headers & 3D profiles in Night Oak & Rosewood are finished in a complimenting painted wood effect finish but will not match precisely. Golden Oak & Winchester are finished in a flat colour RAL 8014.

All frame legs, headers & 3D profiles are available in smooth finish only.



# Windows Rectangle 1 Cross Mullion Rhombus Mullion



Safety Pack



### CarTeck Automatic Wood Effect



### **Rich woodtones**

Our wide grain wood effect finishes are grained to give a much more natural look than close grain finishes






### Problem:

Out and about and can't remember if you left the garage door open?

### **SOLUTION! "SMART PACK":**

The Output module transfers the door status (open/closed) allowing you to integrate your garage door into Smart Home systems.





### CarTeck Automatic Wood Effect



CarTeck Georgian - Woodgrain Wood Effect Golden Oak

### Surface Texture for Georgian



### Life-like Wood effect

Our wood effect doors definitely look the part - characterful woodgraining brings these designs to life.

### A note about colour

Where doors are exposed to direct sunlight, dark colours should be avoided.

RAL references for colours are provided as a guide only to the nearest similar RAL colour. Colours will not match to other RAL finishes due to different coating processes, gloss levels, substrates and textures. Similarly, special RAL, BS or other colours will not be a precise match.

Colours shown are limited in accuracy by the printing process - samples should always be requested.

Wood Design frame legs, headers & 3D profiles in Night Oak & Rosewood are finished in a complimenting painted wood effect finish but will not match precisely. Golden Oak & Winchester are finished in a flat colour RAL 8014.

All frame legs, headers  $\&\ 3D$  profiles are available in smooth finish only.

# Wood effects









Golden Oak Rosewood Night oak Winchester

## Centre Rib Rosewood



Centre Rib Golden Oak



Surface Textures for Standard Rib, Centre Rib & Solid





Smooth Rosewood & Night Oak

Smooth Golden Oak

## Solid Night Oak



Standard Rib Winchester



Here's a Winchester panel in close up!





# Our glazing elements.

# Glazing Elements

Scratch-resistant Polymer, double glazed windows in attractive designs allow natural light into your garage.

As harmonious integration or intentional contrast – aligned with other facades and windows, vision elements play a key role in shaping the overall architecture of your house.



Window frames are coloured to be similar to the door panel. Selected Trend colours & wood design windows are finished in a complementary flat colour for Golden Oak (RAL8003), Rosewood (RAL8016), Night Oak (RAL8014), Winchester (RAL8001), Textured Anthracite (RAL7016) and Ice Crystal Grey Aluminium (RAL9007). The surrounds on aluminium GSA window sections are finished in a smooth finish.

Window frame colour shade and surface lustre will show a variance from the panel finish as the base material and coating methods are different.



\*Not available on Georgian style



Rectangle 1



=====



Cross mullion



Square 1\*









GSA Aluminium light strip



The images above show popular window combinations. If you'd like alternative window configuration, just ask!

For extra special aluminium windows and decals, see our Bling section on pages 40 - 43.



# **Teckentrup Bling!**

## **Windows**

# Light up!


High-grade window units add natural daylight with a contemporary twist. Windows are constructed with an aluminium casement and polymer glazing unit.







Window Options



Athena 406mm x 203mm

# More!

#### **Extras**

Finishing touches to make your door easier to use.



# LETTER BOXES



# SPY HOLES



# PET FLAPS

Pet Flaps, usually fitted to the bottom panel of a door!



# ANYTHING ELSE?

If you can think of anything else you would like to incorporate onto your door, just ask and we'll see if we can make it happen!



Versus 900mm x 1000mm



Sigma 610mm x 200mm



Gamma 534mm x 344mm




Zeta ø280mm



Alpha
280mm x 280mm



Kappa 1860mm x 180mm





# **Teckentrup Bling!**

# Design Accents

## **Decals**

High-grade alunox decals are factory bonded to your door for added visual appeal. Each decal can be positioned to suit your sense of design, however, popular arrangements are shown here.



## Available on:



CarTeck Automatic Solid



CarTeck Automatic Centre Ribbed



CarTeck Automatic Standard Ribbed

## **Decorative Decal Options**



Writing 100mm/200mm



Access 1 431mm x 40mm



Access 2 430mm x 40mm



Access 6 70mm x 70mm




Access 7 150mm x 150mm




Access 8 194 mm x 194 mm

# **Mock Hinges**

Factory bonded black decals.



Coach House Mock Hinges 277mm x 81mm



Coach House Mock Handles & Centre Joint 36mm x 178mm



Access 3 215mm x 40mm



Access 4 400mm x 86mm



180mm x 180mm



Access 9 436mm x 40mm



Access 10 431mm x 13mm



# CarTeck Side Hinged Garage Doors & Side Doors






Window options are also available on CarTeck Side Hinged garage doors. See the CarTeck Side Hinged Garage Door & Side Doors Brochure for full details.



Styles are available as 1/2 and 1/2 split (shown above) or as an asymmetric design (shown left).

1/2 and 1/2 split

Asymmetric



Each of the Traditional designs is also available in centre ribbed and solid panel profiles.

To see all design variants available request or download the CarTeck Side Hinged Garage Door & Side Doors Brochure.

CarTeck Side Hinged Garage Door & Side Doors are available in a wide range of colours - see page 33 or 29, 25, and 21.

## Simply the best

Teckentrup side hinged garage doors and personnel doors are quite simply the very best. The solid panels, engineered hollow section aluminium frames and high grade fittings result in a door that closes with a reassuringly deep "clunk".

Security is excellent and the range of styles, finishes and windows allows personalisation to suit your tastes. 1/2 and 1/2 opening and asymmetric configurations further increase the doors' versatility.

#### Neat inside too

The inside of the door is very presentable. There are no unsightly bracings just a wipe clean surface finished in a practical grey white stucco texture (RAL 9002). Horizontal doors are as shown below, vertical doors have small jointing plates at the panel interfaces



CE

Our doors are independently tested

and certified to all current safety legislation and carry a CE mark.



To see the full range...

Ask for the CarTeck Side Hinged Garage Door & Side Doors Brochure or download a copy from the Teckentrup website.



# **Teckentrup 62 Swing Secure Garag**



## A new and secure look for garages

The main entrance doors to homes are becoming more attractive and high performance. Hinged swing garage doors, whilst still popular, are limited in choice and performance.

The Teckentrup 62 Swing Secure brings crisp aesthetics and comparable performance to the main entrance door; Thermal Transmittance, Resistance to Windload, Watertightness, Air Permeability and Operating Forces are all certified in these high performance doors.

Add to this, certified security to the Secured by Design Police Preferred Specification as standard, tested to LPS 1175 Issue 8 A1 (SR1) and Teckentrup 62 Swing Secure garage doors are a classic, updated for today's homes. The superb build quality of the double leaf doors is complemented by matching single leaf doors for side or rear access to your garage space.



Our doors are independently tested and certified to EN14351-1 and all current safety legislation and carry a CE mark.











# e Door





All Teckentrup 62 Swing Secure Garage Doors are available with a choice of high grade windows and stainless steel pull handle options. To see the full range of optional extras, ask for the brochure!







# To see the full range...

Ask for the Teckentrup 62 Swing Secure Brochure or download a copy from the Teckentrup website.



Teckentrup is a family business with operations throughout the world. In the UK we make our garage doors in Warrington, Cheshire. CarTeck Automatic is available through a national network of independent Garage Door Specialist installers.

Teckentrup offers more than garage doors: We provide solutions and have set three quality standards for our garage doors:

# Design. Security. Service.



**July 2021** 

Teckentrup UK Limited, Units 2-4 Opus 9 Industrial Estate, Woburn Road, Winwick Quay, Warrington WA2 8UE

t: 01925 924 050 f: 08701 314 843

e: sales@teckentrup.co.uk





## Design

# We combine ease of use with aesthetics

Good design uses innovative technology to make using a product intuitive and effortless. CarTeck Automatic sectional garage doors offer a wide range of design options that will transform the look of your home and the way you use your garage space.



### Safety & Security

#### We combine security with safety.

Our products are designed to provide peace of mind with both physical security and the knowledge that durability and safe operation are inherent.



#### Service

#### We combine speed with reliability.

The Teckentrup team and our network of Garage Door Specialists installers love to make your new door a pleasure to own. From planning to installation. You'll always receive expert advice and the best service for installation, maintenance and aftercare.

#### **Quality & Environment**

Teckentrup operates to quality procedures audited to ISO 9001. We care about the environment too - this is why our products are certified in accordance with the Environmental Product Declaration (EPD).

ISO 14001 Environmental Management ISO 50001 Energy Management











