### CARTECK SLX VISION.

Sectional garage doors with a panoramic presence



### **CARTECK GSA VISION.**

Sectional garage doors with a contemporary minimalist aesthetic



### **SLX Vision**

For a panoramic presence look no further than the CarTeck SLX Vision. The doors employ the same market-leading sectional lifting gear used on the standard CarTeck range with its concealed lifting springs, but with added wow-factor.

These automated doors have full width vision panels made from 40mm hollow aluminium profiles, with 20mm scratch resistant, polymer double glazing in a choice of six vision styles.



#### WHAT PERFORMANCE CAN I EXPECT?

As part of the CE marking process, each product must have its performance provided for a defined set of characteristics to allow fair comparison between products from different manufacturers. Other characteristics can also be included, if relevant to a door's performance. The following tables show the performance characteristics of CarTeck SLX Vision and GSA Vision sectional garage doors.

# SLX VISION PERFORMANCE CHARACTERISTIC

#### **RATING**

Resistance to Windload EN 12424	Class 2
Watertightness EN 12425	Class 2
Air Permeability EN 12426	Class 2
Thermal Transmittance EN 13241	3.5 W/m²k
Operating Forces (hand Operated) EN 12604	150 N

### **GSA Vision**

Multiple mullions give the CarTeck GSA Vision an ultra-contemporary, minimalist aesthetic. Choose privacy and light with satin or frosted glazing.

These automated doors have sections made from 40mm hollow aluminium profiles, with 20mm scratch resistant, polymer double glazing. The doors also employ the same market-leading sectional lifting gear used on the standard CarTeck range with its concealed lifting springs and quiet smooth action.

Matching side doors available.



GSA VISION
PERFORMANCE
CHARACTERISTIC

#### **RATING**

Resistance to Windload EN 12424	Class 2
Watertightness EN 12425	Class 2
Air Permeability EN 12426	Class 2
Thermal Transmittance EN 13241	3.3 W/m²k
Operating Forces (hand Operated) EN 12604	150 N

For information on what performance you can expect from your garage door, visit the Honesty Page on the Teckentrup website -

www.teckentrup.co.uk/garage-doors/the-honest-page

Our doors and openers are independently tested and certified to all current safety legislation and carry a CE/UKCA mark.



- SCAN ME!



## **SLX Vision**







# Style Your **SLX Door**



Selecting the section colour and glazing type creates your door.



#### WHAT WILL MY DOOR LOOK LIKE?

Full width glazing up to 3250mm wide (no mullions)





Single mullion over 3250mm wide, maximum width 4000mm.





The number of sections is dependent on door height and is shown below:



4 sections Doors up 5 sections Doors up 6 sections Doors up to 2280mm high.




to 2835mm high.



to 3000mm high.

#### VISION OPTIONS

Windows are made from double pane scratch-resistant polymer.





White	White Aluminium	Grey Aluminium	Light Grey
RAL 9016	RAL 9006	RAL 9007	RAL 7035
Window Grey	Quartz Grey RAL 7039	Umbra Grey	Slate Grey
RAL 7040		RAL 7022	RAL 7015
Anthracite Grey RAL 7016	Jet Black	Steel Blue	Moss Green
	RAL 9005	RAL 5011	RAL 6005
Fir Green	Flame Red	Sepia Brown	Cream
RAL 6009	RAL 3000	RAL 8014	RAL 9001

#### A NOTE ABOUT COLOUR

Where doors are exposed to direct sunlight, dark colours should be avoided.

RAL references for colours are provided as a guide only to the nearest similar RAL colour. Colours will not match to other RAL finishes due to different coating processes, gloss levels, substrates and textures. Similarly, special RAL, BS or other colours will not be a precise match.

Colours shown are limited in accuracy by the printing process - samples should always be requested.

All frame legs, headers & 3D profiles are available in smooth finish only.







# **GSA Vision**







## Style Your **GSA Door**

Selecting the section colour and glazing type creates your door.



Matching side doors available.

#### WHAT WILL MY DOOR LOOK LIKE?

The number of vertical mullions is dependent on door width and is shown below:

Doors up to 2235mm wide



Doors up to 2438mm wide



Doors up to 3353mm wide



Doors up to 4420mm wide



Doors up to 5500mm wide



The number of sections is dependent on door height and is shown below:



to 2280mm high.

to 2835mm high.

4 sections Doors up 5 sections Doors up 6 sections Doors up to 3000mm high.

#### VISION OPTIONS

Windows are made from double pane scratch-resistant polymer.



#### Trend colours White Aluminium RAL 9006 Grey Aluminium RAL 9007 White **Light Grey RAL 9016 RAL 7035** Window Grey RAL 7040 Quartz Grey **Umbra Grey** Slate Grey **RAL 7039 RAL 7022 RAL 7015 Anthracite Grey** Jet Black Steel Blue Moss Green **RAL 7016 RAL 9005 RAL 5011 RAL 6005** Fir Green Flame Red Sepia Brown Cream **RAL 6009 RAL 3000 RAL 8014 RAL 9001**

#### A NOTE ABOUT COLOUR

Where doors are exposed to direct sunlight, dark colours should be avoided.

RAL references for colours are provided as a guide only to the nearest similar RAL colour. Colours will not match to other RAL finishes due to different coating processes, gloss levels, substrates and textures. Similarly, special RAL, BS or other colours will not be a precise match.

Colours shown are limited in accuracy by the printing process - samples should always be requested.

All frame legs, headers & 3D profiles are available in smooth finish only.







#### CARTECK SLX & GSA WARRANTY

The warranty periods only apply to products that have been correctly installed as per the instructions, maintained by a Garage Door Specialist and operated and cleaned in accordance with the requirements set out in the operating and maintenance sections of instructions and labels.

#### 2-year manufacturer's guarantee

• on polymer and aluminium window units

#### 5-year manufacturer's guarantee

 on rollers, hinges, cable pulleys, cables and standard springs (opening/closing max. 5 times a day)

#### 10-year manufacturer's guarantee


- on panels against rust penetration from inside to outside
- against door panel separation of steel from foam
- on material and manufacturing flaws of all nonmoving parts of the frame that are verifiably unusable or whose usability is substantially compromised
- on floor seal, intermediate seals, side seals and lintel seal against rotting

The guarantee does not apply to doors that are subjected to extreme conditions, e.g. corrosive influences resulting from use in a coastal climate with high salt content.

#### CARTECK PAINT FINISH WARRANTY

#### 5-year manufacturer's guarantee excluding coastal areas

• on peeling and blistering (normal colour fade excluded)



Teckentrup UK Limited, Units 2-4 Opus 9 Industrial Estate, Woburn Road, Winwick Quay, Warrington WA2 8UE

t: 01925 924 050 f: 08701 314 843

e: sales@teckentrup.co.uk

### TECKENTRUP DOOR SOLUTIONS



#### Design

#### We combine ease of use with aesthetics

Good design uses innovative technology to make using a product intuitive and effortless. CarTeck garage doors offer a wide range of design options that will transform the look of your home and the way you use your garage space.



#### Safety & Security

#### We combine security with safety

Our products are designed to provide peace of mind with both physical security and the knowledge that durability and safe operation are inherent.



#### Service

#### We combine speed with reliability

The Teckentrup team and our network of Garage Door Specialists installers love to make your new door a pleasure to own. From planning to installation. You'll always receive expert advice and the best service for installation, maintenance and aftercare.

#### Quality & Environment

Teckentrup operates to quality procedures audited to ISO 9001. We care about the environment too - this is why our products are certified in accordance with the Environmental Product Declaration (EPD).



ISO 14001 Environmental Management ISO 50001 Energy Management









