

# PRICE LIST

All prices exclude VAT and delivery

February  
2022

V4



# PRICE LIST FEBRUARY 2022

## WHAT'S IN THIS PRICE LIST?

General Information	2
CarTeck Sectional Garage Doors	4
CarTeck Garage Door Automation & Lighting	6
CarTeck Super Size Sectional Garage Doors	7
CarTeck GSA Vision Sectional Garage Doors	8
CarTeck SLX Vision Sectional Garage Doors	9
CarTeck Side Hinged Garage Doors	10
Technical Information	12
Spares	16
Hints & Tips CarTeck Sectional Garage Doors	16

### What does a pink box mean in the price list?

It contains essential information – make sure you read it!

### PRICING

Prices are in £'s Sterling. This price list supersedes and renders null any previous price list.

### SIZES

When ordering use metric sizes, imperial conversions are nominal.

### TERMS

Comprehensive terms and conditions are on line at:  
[www.teckentrup.co.uk/terms-conditions](http://www.teckentrup.co.uk/terms-conditions)

### DELIVERY

Delivery:

To company premises FOC.

To site £65 nett.

To Scotland, Highlands and Islands on application.

### LEAD-TIMES

Lead times are subject to change and may be affected by the availability of raw materials, border delays and other factors beyond our control.

After placing your order you'll receive a confirmation with the week of delivery.

We work hard to maintain the advised delivery date and any slippage will be notified as soon as we become aware of an issue.

If you need a door for a specific date please call the sales office, we'll do our best to help.

## WHAT PERFORMANCE CAN I EXPECT?

As Part of the CE marking process, each product must have its performance provided for a defined set of characteristics. Other characteristics can also be included if relevant to a door's performance, such as security. The following table shows the performance characteristics of each product in our range.

NPD signifies the product has not been measured for this characteristic (NPD – No Performance Determined)

PERFORMANCE CHARACTERISTIC	CarTeck Sectional Garage Doors	CarTeck Super Size Sectional Garage Doors	CarTeck Sectional GSA Vision Garage Doors	CarTeck Sectional SLX Vision Garage Doors	CarTeck Side Hinged Garage Doors
Resistance to Windload EN 12424	Class 2	Class 2	Class 2	Class 2	Class 2
Watertightness EN 12425	Class 2	Class 2	Class 2	Class 2	NPD
Air Permeability EN 12426	Class 2	Class 2	Class 2	Class 2	NPD
Thermal Transmittance EN 13241	1.38 W/m²k	1.38 W/m²k	3.3 W/m²k	3.5 W/m²k	NPD
Operating Forces (hand Operated) EN 12604	150 N	150 N	150 N	150 N	NPD
Operating Cycles EN 1191	NPD	NPD	NPD	NPD	NPD
Burglar Resistance LPS 1175 Issue 8	NPD	NPD	NPD	NPD	NPD

## WARRANTY

The warranty periods below only apply to products that have been correctly installed as per the instructions and have been used, maintained by a Garage Door Specialist and cleaned in accordance with the requirements set out in the operating and maintenance sections of instructions and labels.

### CARTECK, SUPER SIZE, GSA VISION & SLX VISION SECTIONAL GARAGE DOORS

#### 2-year manufacturer's guarantee

- on polymer and aluminium window units

#### 5\*-year manufacturer's guarantee

- on SLX & GSA Vision windows, rollers, hinges, cable pulleys, cables and standard springs (opening/closing max. 5 times a day)

#### 10-year manufacturer's guarantee

- on panels against rust penetration from inside to outside
- against door panel separation of steel from foam
- on material and manufacturing flaws of all non-moving parts of the frame that are verifiably unusable or whose usability is substantially compromised
- on floor seal, intermediate seals, side seals and lintel seal against rotting

The guarantee does not apply to doors that are subjected to extreme conditions, e.g. corrosive influences resulting from use in a coastal climate with high salt content.

**\*2 -year for Super Size**

### CARTECK SIDE HINGED GARAGE DOORS

#### 2-year manufacturer's guarantee

- on window units, hinges, locks, handles and stays (opening/closing max. 5 times a day)

#### 10-year manufacturer's guarantee

- on panels against rust penetration from inside to outside
- against door panel separation of steel from foam
- on material and manufacturing flaws of all non-moving parts of the frame that are verifiably unusable or whose usability is substantially compromised
- on floor seal, intermediate seals and frame seals against rotting

The guarantee does not apply to doors that are subjected to extreme conditions, e.g. corrosive influences resulting from use in a coastal climate with high salt content.

### CARTECK DRIVE & MOTOR

#### \*5-year manufacturer's guarantee

- on mechanical defects, material and manufacturing flaws. (opening/closing max. 5 times a day)\*\*

#### \*1 -year for Super Size

\*\* Consumable Items are not included within warranty terms and conditions: hand transmitters, light bulbs, fuses & batteries.

## HANDLING

CarTeck Sectional Doors are delivered flat-packed & CarTeck Side Hinged Doors are delivered complete. Both are heavy and require suitable consideration for safe handling.

CarTeck Super Size Sectional, CarTeck GSA Vision & CarTeck SLX Vision are delivered crated. Suitable arrangements for safe handling at delivery and onward transportation must be considered.

## CLEANING ON INSTALLATION

After the installation has been completed, clean and dry the door thoroughly inside and out with warm soapy water to remove any grease, dust and metal fragments from the door (these will discolour the door finish if left on the door).

## MAINTENANCE

Doors must be maintained as per the supplied Installation, Operating and Maintenance Manual by a Garage Door Specialist. Failure to carry out the required maintenance at the advised interval will invalidate the warranty.


## CLEANING

The door should be washed with a car shampoo or similar, every two months, to prevent the build up of dirt, salt, grit and other corrosive substances. If the door is in an area prone to coastal corrosion from airborne salts, the door should be cleaned monthly. Furthermore, cleaning lifting gear with a cloth soaked in a light oil will help to protect your door from corrosion – it must be accepted that salt air is very aggressive and extra care is required.

No caustic, abrasive or corrosive chemicals and substances, flood water, water runoff, or runoff from lead, copper or galvanic metal flashing should be allowed to come into contact with the door.

Ash, cement, dust, animal waste, or foreign substances should be removed immediately. Failure to ensure the door is cleaned and maintained as described will invalidate the doors' warranty.

# CARTECK SECTIONAL GARAGE DOORS GSW 40-L



## Georgian Features

Georgian design door widths of 2060mm and below have 2 features and come with an increase lead time – call the office for details.

Intermediate height or width or combination:  
Next size + £159

## Standard Heights

4 Sections	Section Heights			White Wood/Trend RAL	Maximum Height mm																		
	1875 6'2"	2050 6'9"	2175 7'2"		3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	2875	2625	2500	2500
	1925 6'4"	2084 6'10"	2204 7'3"		1333	1333	1335	1335	1417	1417	1531	1669	1807	1944	2082	2220	2264	2311	2391	2408	2546	2683	2959
	2000 6'6"	2125 7'0"	2250 7'4"		1464	1464	1478	1478	1561	1561	1679	1828	1976	2126	2275	2425	2571	2581	2641	2797	2947	3095	3395
Max 4 section height 2280				1764	1764	1775	1775	1878	1878	2021	2203	2384	2564	2745	2926	3107	3105	3182	3369	3549	3729	4090	

5 Sections	Section Heights			White Wood/Trend RAL	Maximum Height mm																		
	2375 7'9"	2750 9'0"			1648	1648	1783	1783	1893	1893	2041	2225	2408	2592	2775	2958	3018	3080	3141	3207	3391	3573	3972
	2500 8'2"				2012	2012	2016	2016	2140	2140	2305	2512	2717	2925	3131	3337	3405	3474	3542	3616	3823	4029	4469
	2625 8'9"				2206	2206	2221	2221	2350	2350	2529	2755	2980	3207	3432	3658	3884	3881	3977	4209	4434	4660	5158
Max 5 section height 2835																							

6 Sections	Section Heights			White Wood/Trend RAL	Maximum Height mm																		
	2875 9'5"				2371	2371	2376	2376	2521	2521	2716	2960	3205	3448	3691	3937	4017	4098	4178	4263	4365	-	-
	3000 9'9"				2674	2674	2679	2679	2846	2846	3063	3338	3611	3887	4161	4434	4526	4616	4705	4804	4911	-	-
					2995	2995	3011	3011	3167	3167	3378	3651	3921	4193	4465	4734	5005	5004	5116	5395	5509	-	-

		Number of windows	3	3	3	3	3	3	3	3	4	4	4	5	5	5	5	5	6	6	7
Polymer Windows (type 1 Rectangle)	White	384	384	384	384	384	384	384	384	384	512	512	512	640	640	640	640	640	768	768	896
	Trend / RAL / Wood Design	504	504	504	504	504	504	504	504	504	672	672	672	840	840	840	840	840	1008	1008	1176
Frame Legs & Head Matched Colour: • Back Fix • Between Fix (no holes)	White	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Trend / Wood Design	63	64	67	68	71	72	75	81	90	99	106	116	124	125	129	135	142	150	161	
	RAL	278	281	288	294	299	302	314	326	347	369	389	411	431	434	445	457	466	479	523	

	Width	<=3000mm	>3000mm
85mm Frame Leg 3D Profile Kit	White	120	120
85mm x 12mm x 3000mm 3D Legs	Trend / Wood Design	120	120
	RAL	198	198
85/120mm Frame 3D Profile Kit	White	198	262
85mm x 12mm x 3000mm 3D Legs 120mm x 12mm x 3000mm 3D Header	Trend / Wood Design	198	262
	RAL	315	419
120mm Frame 3D Profile Kit	White	218	288
120mm x 12mm x 3000mm 3D Legs & 3D Header	Trend / Wood Design	237	315
	RAL	315	419
85mm 3D Frame Leg & Additional Door Header	White	236	318
5mm x 12mm x 3000mm 3D Legs Additional Door Header to Width of Door	Trend / Wood Design	256	344
	RAL	316	446
70mm Angle 3D Renovating Profile	White	218	288
Kit 70mm x 12mm x 3000mm 3D Legs & 3D Header	Trend / Wood Design	237	315
	RAL	315	419

## TREND COLOURS

Flame Red RAL 3000	Fir Green RAL 6009	TT9016 Bling White with micaceous iron ore particles glitter effect
Window Grey RAL 7040	Anthracite Grey RAL 7016	White Aluminium RAL 9006
Quartz Grey RAL 7039	Light Grey RAL 7035	Grey Aluminium RAL 9007
Steel Blue RAL 5011	Umbra Grey RAL 7022	Slate Grey RAL 7015
Anthracite Textured RAL 7016	Ice Crystal Grey Aluminium	Cream RAL 9001
Moss Green RAL 6005	Sepia Brown RAL 8014	Jet Black RAL 9005
		TT 703 A special satin metallic effect - grey with micaceous iron ore particles.

## Colours

Where doors are exposed to direct sunlight, dark colours should be avoided.

RAL references for colours are provided as a guide only to the nearest similar RAL colour. Colours will not match to other RAL finishes due to different coating processes, gloss levels, substrates and textures. Similarly, special RAL, BS, wood effects or other colours will not be a precise match.

Colours shown are limited in accuracy by the printing process – samples should always be requested.

If you are matching to other finishes, particularly wood effects such as rosewood, golden oak, night oak or Winchester, always request a sample.

## POPULAR OPTIONS

### ACCESSORIES AND OPTIONS

Manual locking including detent (factory prepared) 5000mm Max **£141 each**  
Manual locking including detent (onsite with template) 5000mm Max **£76 each**  
L shaped fixing strap kit **£22 pair**  
Between reveal fitting bracket kit **£72 each**



(When using a between the reveal fitting kit, the sideroom required is 85mm)

Between reveal twist fix header bracket (2x) kit **£30 each**  
(Recommended for doors over 3000mm wide)



Horizontal Track cut down charge **£159 per set**


For the full range of spares/accessories see page 18.

# POLYMER WINDOWS


## WINDOWS - POLYMER DOUBLE GLAZING

Windows construction: Polymer casement with polymer (Styrene Acrylonitrile) double glazed unit.

### Georgian



### Standard Rib, Centre Rib & Solid



Style	Overall Size	Colour / Finish	Price
Rectangle 1	610 X 270	White	£128 each
Rectangle 2	680 X 210	Trend/Ral/Wood design	£168 each
Rectangle 3	980 X 140	White	£128 each
Square 1 & 2	270 x 270	Trend/Ral/Wood design	£168 each
GSA Aluminium Window Section	per linear m	White/Trend Ral/Wood design	£154 each £201 each £128 each £168 each £468 per m £702 per m

All polymer windows are available with these glazing options:



Clear



Frosted



Satin

### Polymer Windows

To price for windows fitted vertically down the door; square type 1 & 2, match windows to number of sections ie 4 sections = 4 windows).

Selected Trend colours & wood design windows are finished in a complementary flat colour for Golden Oak (RAL8003), Rosewood (RAL8016), Night Oak (RAL8014), Winchester (RAL8001), Textured Anthracite (RAL7016), Ice Crystal Grey Aluminium (RAL9007) and TT9016 Bling White (RAL9016).

The surrounds on aluminium GSA window sections are finished in a smooth finish.

Window frame colour shade and surface lustre will show a variance from the panel finish as the base material and coating methods are different.

Polymer glazing in Georgian doors and Type 2 rectangle is 16mm thick. All other polymer glazing is 20mm thick.


# EXTRA OPTIONS

## EXTRA TOUCHES

### PET FLAP

£42 fitting charge\*

\*Customer supplied



### SPY HOLE

£49

### LETTER BOX

From £74



# ALUMINIUM WINDOWS & DECALS

## ALUMINIUM WINDOWS - POLYMER DOUBLE GLAZING

Alpha  
280mm x 280mm

Sigma  
610mm x 200mm

Zeta  
ø280mm

Gamma  
534mm x 344mm

PRICE PER WINDOW

£317

Kappa  
1860mm x 180mm

Athena  
406mm x 203mm

Versus  
900mm x 1000mm

PRICE PER WINDOW

£761

Satin Clear

All aluminium windows are available with these glazing options (satin is supplied as standard).

## ALUNOX DECALS

Factory bonded alunox decals. Decals can be positioned to requested positions, however, popular arrangements are shown here.

Access 1  
431mm x 40mm

Access 2  
430mm x 40mm

Access 3  
215mm x 40mm

Access 4  
400mm x 86mm

Access 5  
180mm x 180mm

PRICE PER DECAL

£54

Access 6  
70mm x 70mm

Access 7  
150mm x 150mm

Access 8  
194 mm x 194 mm

Access 9  
436mm x 40mm

Access 10  
431mm x 13mm

PRICE PER DECAL

£54

Writing  
100mm 200mm

PRICE PER DECAL

100mm £49

PRICE PER DECAL

200mm £54

## CARTECK DRIVE



Drive 500 / 600



Drive Pro 500 / 600

Drives require 140mm headroom. To fit within 120mm use the Spacer Bar Suspension Plate that lowers the rear spacer bar by 40 mm

Drive 500Nm & 2 x Pearl Twin £375

Drive Pro 500Nm & 2 x Pearl Twin £427

Drive 600Nm & 2 x Pearl £408

Drive Pro 600Nm & 2 x Pearl £450

Rail extension 1096mm (heights greater than 2375mm) add £101


Spacer bar suspension plate (for 120mm headroom) £30



## CARTECK DRIVE ACCESSORIES

Post & packing may apply to accessories not ordered with a door

Description	Price	Compatibility	
		500	600
2-function handheld transmitter „Pearl Twin“	£66	•	•
4-function handheld transmitter „Pearl“	£78	•	•
3-function handheld transmitter „Pearl status“	£101	•	•
4-function handheld transmitter „Pearl vibe“	£101	•	•
Holding clip for pearl transmitter for sun shield	£13	•	•
Holder Pearl for mounting pearl transmitter white or black	£19	•	•
868 MHz Radio receiver (2-channel)	£142	•	•
Access Pack 1: Keypad (Courier)	£117	•	•
Access Pack 3: Surface mounted keypad	£399	•	•
Wired 3 function internal wall station	£49	•	•
Access Pack 2: wireless 2 function wall switch white or grey	£101	•	•
Safety Pack 1 Photo cell kit (Includes mounting kit if required)	£130	•	•
Additional light strip attaches to control unit	£54	•	•
Ambience pack 1: light strip & motion sensor	£110	•	•
Ambience pack 2: relay to control lighting	£36	•	•
Parking Pack 1: position laser & reflector	£84	•	•
Parking Pack 2: humidity sensor	£32	•	•
Security pack 1: lock & alarm buzzer	£87	•	•
Security pack 2: alarm buzzer & lighting control relay	£114	•	•
Power pack: battery backup	£205	•	•
Smart pack: output module for smart home integration	£142	•	•
External release for garages without a second entrance	£54	•	•
Special 101 towing arm bracket	£117	•	•



1500 lumen/m neutral white 4000K light.

## CARTECK MOTOR



Flexible installation orientation

300 series

200 series

Motor Head	Price	Add your rail		
		3286mm	3536mm	4296mm
260	£262	+£100	+£157	+£188
270	£307	+£100	+£157	+£188
280	£374	+£100	+£157	+£188
360	£400	+£100	+£157	+£188
370	£464	+£100	+£157	+£188
380	£632	+£100	+£157	+£188

## CARTECK MOTOR ACCESSORIES

Post & packing may apply to accessories not ordered with a door

Battery back up for 300 series up to 5 cycles	£235	Photocells	£130
Transmitter 2 channel	£75	External receiver 1 channel	£187
Transmitter 4 channel	£89	Digital key pad	£157
Transmitter 3 channel bidirectional	£126	Push button wireless	£71
External release for garages without a second entrance	£54	Special 101 towing arm bracket	£117

## Description

Compatibility  
Price 500 600

Light bars with stand-alone power supply and motion detector

Width up to 2220mm £230 • •

Width up to 3205mm £290 • •

Width up to 4190mm £350 • •

Width up to 5528mm £440 • •

Link to Amazon Alexa - Smart Home £90 • •

LED strips for tracks and spacer bar

Price 500 600

3rd generation ambience pack 3: 2 x threads (left/right) 2m and 1m of LED lights, motion sensor & remote control


£234 • •

SOMweb Smart Phone Module with Safety Photo Cells




Allows control of up to 10 doors

£416 • •

NEW!



# SUPER SIZE SECTIONAL GARAGE DOORS

			Woodgrain	Smooth	Smooth	Stucco	Micro Profile
							
Standard Rib	Centre Rib	Solid					

Pricing includes Motor:  
CarTeck DRIVE Pro 1100 rail operator or Teckentrup Direct Drive, optical safety edge, photocells & 2 transmitters

Heights up to:			Widths up to:	6000	6500	7000	7500	8000
4 Sections	2280	Rail Operator	White/Wood/Trend RAL	6071 6702	7081 7766	- -	- -	- -
		Direct Drive	White/Wood/Trend RAL	6817 7449	7755 8440	8723 9460	9113 9903	9508 10350
5 Sections	2835	Direct Drive	White/Wood/Trend RAL	7382 8154	8508 9344	9633 10534	10088 11053	10542 11572
6 Sections	3000	Direct Drive	White/Wood/Trend RAL	7642 8484	8881 9794	10087 11069	10574 11627	11062 12185
			Number of windows	8	8	9	9	10
Polymer Windows (type 1 Rectangle)			White	1024	1024	1152	1152	1280
			Trend/Wood/RAL	1344	1344	1512	1512	1680

OPTIONS	
Low Headroom up to 6500mm	£ 370
Low Headroom 6501mm - 7750mm	£ 511

## TREND COLOURS

Flame Red RAL 3000	Fir Green RAL 6009	TT9016 Bling White with micaceous iron ore particles glitter effect
Window Grey RAL 7040	Anthracite Grey RAL 7016	White Aluminium RAL 9006
Quartz Grey RAL 7039	Light Grey RAL 7035	Grey Aluminium RAL 9007
Steel Blue RAL 5011	Umbra Grey RAL 7022	Slate Grey RAL 7015
Anthracite Textured RAL 7016	Ice Crystal Grey Aluminium	Cream RAL 9001
Moss Green RAL 6005	Sepia Brown RAL 8014	Jet Black RAL9005
		TT 703 A special satin metallic effect - gray with micaceous iron ore particles.










**Colours**

Where doors are exposed to direct sunlight, dark colours should be avoided. RAL references for colours are provided as a guide only to the nearest similar RAL colour. Colours will not match to other RAL finishes due to different coating processes, gloss levels, substrates and textures. Similarly, special RAL, BS, wood effects or other colours will not be a precise match.

Colours shown are limited in accuracy by the printing process - samples should always be requested.

If you are matching to other finishes, particularly wood effects such as rosewood, golden oak, night oak or Winchester, always request a sample.

# POLYMER WINDOWS

WINDOWS - POLYMER DOUBLE GLAZING				
Windows construction: Polymer casement with polymer (Styrene Acrylonitrile) double glazed unit.				
	Style	Overall Size	Colour / Finish	Price per Window
	Rectangle 1	610 X 270	White	£128 each
	Rectangle 2	680 X 210	Trend/Ral/Wood design	£168 each
	Rectangle 3	980 X 140	White	£128 each
	Rectangle 3	980 X 140	Trend/Ral/Wood design	£154 each
	Square 1 & 2	270 x 270	White	£201 each
	Square 1 & 2	270 x 270	Trend/Ral/Wood design	£128 each
	GSA Aluminium Window Section	per linear m	White/Trend	£168 each
	GSA Aluminium Window Section	per linear m	Ral/Wood design	£468 per m
	GSA Aluminium Window Section	per linear m	Ral/Wood design	£702 per m

**Polymer Windows**


To price for windows fitted vertically down the door, square type 1 & 2, match windows to number of sections ie 4 sections = 4 windows). Selected Trend colours & wood design windows are finished in a complementary flat colour for Golden Oak (RAL8003), Rosewood (RAL8016), Night Oak (RAL8014), Winchester (RAL8001), Textured Anthracite (RAL7016), Ice Crystal Grey Aluminium (RAL9007) and TT9016 Bling White (RAL9016).


The surrounds on aluminium GSA window sections are finished in a smooth finish.


Window frame colour shade and surface lustre will show a variance from the panel finish as the base material and coating methods are different.

Polymer glazing in Type 2 rectangle is 16mm thick. All other polymer glazing is 20mm thick.

All polymer windows are available with these glazing options:







Clear

Frosted

Satin



Teckentrup Direct Drive motors must have 16 amp supply direct to the consumer unit.

# CARTECK SECTIONAL GARAGE DOORS GSA VISION

NEW!



## GSA Vision Options

Sectional door panels made from hollow aluminium profiles, 40mm profile depth with 20mm scratch resistant, polymer double glazing.



Clear



Satin



Frosted

## MATCHING SIDE DOORS



*Maximum Over-Frame Size		Single leaf
Height*	Width*	Up to
		1250
Up to 2050	Trend	3476
4 Section	RAL	4062
Up to 2204	Trend	3557
4 Section	RAL	4144
Up to 2320	Trend	3642
5 Section*	RAL	4228

Doors are prepared for automation as standard (manual locking not available)

## Heights up to:

Sections	Height	White/Trend	RAL	5057	5057	5057	5134	5204	5636	5636	5645	5946	6120	6564	6719	6865	7021	7021	7457	7829	7985	8132
4	2280	White/Trend	RAL	5057	5057	5057	5134	5204	5636	5636	5645	5946	6120	6564	6719	6865	7021	7021	7457	7829	7985	8132
5	2835	White/Trend	RAL	6178	6178	6178	6273	6358	6899	6899	6907	7282	7464	8017	8208	8629	8822	8822	9365	9556	9748	9931
6	3000	White/Trend	RAL	7259	7259	7259	7372	7476	8124	8124	8132	8578	9045	9705	9934	10149	10378	10378	11029	11255	-	-

Widths up to:	2084	2134	2235	2286	2388	2438	2591	2743	3048	3353	3658	3962	4216	4267	4420	4572	4877	5182	5500
Maximum Height mm	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	2875	2625	2500	2500

Frame Legs & Head Colour:	White	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
• Back Fix	Trend	63	64	67	68	71	72	75	81	90	99	106	116	124	125	129	135	142	150	161
• Between Fix (no holes)	RAL	278	281	288	294	299	302	314	326	347	369	389	411	431	434	445	457	466	479	523

	Width	<=3000mm	>3000mm
85mm Frame Leg 3D Profile Kit	White	120	120
85mm x 12mm x 3000mm 3D Legs	Trend	120	120
	RAL	198	198
85/120mm Frame 3D Profile Kit	White	198	262
85mm x 12mm x 3000mm 3D Legs	Trend	198	262
120mm x 12mm x 3000mm 3D Header	RAL	315	419
120mm Frame 3D Profile Kit	White	218	288
120mm x 12mm x 3000mm 3D Legs & 3D Header	Trend	237	315
	RAL	315	419
85mm 3D Frame Leg & Additional Door Header	White	236	318
5mm x 12mm x 3000mm 3D Legs	Trend	256	344
Additional Door Header to Width of Door	RAL	316	446
70mm Angle 3D Renovating Profile	White	218	288
Kit 70mm x 12mm x 3000mm 3D Legs & 3D Header	Trend	237	315
	RAL	315	419

## TREND COLOURS

White RAL 9016	Fir Green RAL 6009	White Aluminium RAL 9006
Flame Red RAL 3000	Anthracite Grey RAL 7016	Grey Aluminium RAL 9007
Window Grey RAL 7040	Light Grey RAL 7035	Slate Grey RAL 7015
Quartz Grey RAL 7039	Umbra Grey RAL 7022	Cream RAL 9001
Steel Blue RAL 5011	Sepia Brown RAL 8014	Jet Black RAL 9005
Moss Green RAL 6005	NOTE: Flat colours only	

## Colours

Where doors are exposed to direct sunlight, dark colours should be avoided.

RAL references for colours are provided as a guide only to the nearest similar RAL colour. Colours will not match to different coating processes, gloss levels, substrates and textures. Similarly, special RAL, BS or other colours will not be a precise match.

Colours shown are limited in accuracy by the printing process - samples should always be requested.

## POPULAR OPTIONS

### ACCESSORIES AND OPTIONS

L shaped fixing strap kit  
Between reveal fitting bracket kit  
(When using a between the reveal fitting kit, the sideroom required is 85mm)



£22 pair  
£72 each

Between reveal twist fix header bracket (2x) kit  
(Recommended for doors over 3000mm wide)



£30 each

Horizontal Track cut down charge

£159 per set

For the full range of spares/accessories see page 18.

# CARTECK SECTIONAL GARAGE DOORS SLX VISION

NEW!



Full width glazing up to 3250mm wide (no mullions)



Single mullion over 3250mm wide

Doors are prepared for automation as standard (manual locking not available)

Heights up to:

Sections	Heights up to:	Widths up to:	Maximum Height mm	2084 6'10"	2134 7'0"	2235 7'4"	2286 7'6"	2388 7'10"	2438 8'0"	2591 8'6"	2743 9'0"	3048 10'0"	3353 11'0"	3658 12'0"	3962 13'0"	4000 13'11.5"
4	2280	White/Trend	5057	5057	5057	5134	5204	5636	5636	5645	5946	6120	6564	6719	6865	
		RAL	5988	5988	5988	6073	6156	6156	6691	6701	7040	7227	7774	7936	8104	
5	2835	White/Trend	6178	6178	6178	6273	6358	6899	6899	6907	7282	7464	8017	8208	8629	
		RAL	7342	7342	7342	7446	7550	7550	8219	8228	8647	8847	9528	9729	10178	
6	3000	White/Trend	7259	7259	7259	7372	7476	8124	8124	8132	8578	9045	9705	9934	10149	
		RAL	8656	8656	8656	8781	8904	8904	9708	9715	10217	10707	11520	11760	12008	
Number of windows				1	1	1	1	1	1	1	1	2	2	2	2	
				3250mm												

Frame Legs & Head Colour:	White	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
• Back Fix	Trend	63	64	67	68	71	72	75	81	90	99	106	116	124	124	124
• Between Fix (no holes)	RAL	278	281	288	294	299	302	314	326	347	369	389	411	431	431	431

	Width	<=3000mm	>3000mm
85mm Frame Leg 3D Profile Kit	White	120	120
	Trend	120	120
	RAL	198	198
85mm x 12mm x 3000mm 3D Legs			
85/120mm Frame 3D Profile Kit	White	198	262
	Trend	198	262
	RAL	315	419
85mm x 12mm x 3000mm 3D Legs			
120mm x 12mm x 3000mm 3D Header			
120mm Frame 3D Profile Kit	White	218	288
	Trend	237	315
	RAL	315	419
120mm x 12mm x 3000mm 3D Legs & 3D Header			
85mm 3D Frame Leg & Additional Door Header	White	236	318
	Trend	256	344
	RAL	316	446
5mm x 12mm x 3000mm 3D Legs			
Additional Door Header to Width of Door			
70mm Angle 3D Renovating Profile	White	218	288
	Trend	237	315
	RAL	315	419
Kit 70mm x 12mm x 3000mm 3D Legs & 3D Header			

## TREND COLOURS

White RAL 9016	Fir Green RAL 6009	White Aluminium RAL 9006
Flame Red RAL 3000	Anthracite Grey RAL 7016	Grey Aluminium RAL 9007
Window Grey RAL 7040	Light Grey RAL 7035	Slate Grey RAL 7015
Quartz Grey RAL 7039	Umbra Grey RAL 7022	Cream RAL 9001
Steel Blue RAL 5011	Sepia Brown RAL 8014	Jet Black RAL 9005
Moss Green RAL 6005	NOTE: Flat colours only	

**Colours**

Where doors are exposed to direct sunlight, dark colours should be avoided.

RAL references for colours are provided as a guide only to the nearest similar RAL colour. Colours will not match to other RAL finishes due to different coating processes, gloss levels, substrates and textures. Similarly, special RAL, BS or other colours will not be a precise match.

Colours shown are limited in accuracy by the printing process - samples should always be requested.

## VISION OPTIONS

Sectional door panels made from hollow aluminium profiles, 40mm profile depth with 20mm scratch resistant, polymer double glazing.



Clear

Satin

Frosted



Green Tint  
70% transmission  
(approx)

Brown Tint  
50% transmission  
(approx)

Grey Tint  
43% transmission  
(approx)

## Frame Legs, Headers & 3D Profiles

Frame legs/head - 85mm/115mm smooth & white as standard.

All frame Legs, headers & 3D profiles are available in smooth finish only.

Between fix (No Holes) frames up to 2250mm high maximum.

## POPULAR OPTIONS


### ACCESSORIES AND OPTIONS

L shaped fixing strap kit	£22 pair
Between reveal fitting bracket kit (When using a between the reveal fitting kit, the sideroom required is 85mm)	£72 each
Between reveal twist fix header bracket (2x) kit (Recommended for doors over 3000mm wide)	£30 each
Horizontal Track cut down charge	£159 per set

For the full range of spares/accessories see page 18.


# CARTECK SIDE HINGED GARAGE DOORS GSW 40-L

All styles available 1/2 - 1/2 or Asymmetric




*Maximum Over-Frame Size	Width*	Single leaf		Double leaf	
		Up to	Up to	Up to	Up to
Height*		1250	2286	2438	2500

Up to 2050 4 Section	White	1559	2235	2337	2447
	Wood/Trend	1907	2613	2716	2825
	RAL	2129	2866	2970	3078
Up to 2204 4 Section	White	1638	2337	2442	2562
	Wood/Trend	1985	2716	2821	2941
	RAL	2207	2970	3074	3193
Up to 2320 4 Section Up to 2359 5 Section	White	1720	2447	2562	2726
	Wood/Trend	2069	2825	2941	3105
	RAL	2290	3078	3193	3357



*Maximum Over-Frame Size	Width*	Single leaf		Double leaf	
		Up to	Up to	Up to	Up to
Height*		1250	2286	2438	2500

Up to 2050 4 Section	White	1928	3747	3872	4010
	Wood/Trend	2276	4125	4251	4389
	RAL	2529	4378	4504	4642
Up to 2204 4 Section	White	2007	3849	3976	4125
	Wood/Trend	2354	4228	4354	4504
	RAL	2576	4481	4607	4757
Up to 2320 4 Section Up to 2359 5 Section	White	2089	3958	4096	4288
	Wood/Trend	2437	4337	4475	4667
	RAL	2658	4590	4729	4920



*Maximum Over-Frame Size	Width*	Single leaf		Double leaf	
		Up to	Up to	Up to	Up to
Height*		1250	2286	2438	2500

Up to 2050 4 Section	White	1716	2442	2557	2675
	Wood/Trend	2065	2821	2936	3054
	RAL	2285	3074	3188	3307
Up to 2204 4 Section	White	1802	2557	2675	2801
	Wood/Trend	2150	2936	3054	3179
	RAL	2372	3188	3307	3432
Up to 2320 4 Section Up to 2359 5 Section	White	1892	2675	2801	2933
	Wood/Trend	2240	3054	3179	3312
	RAL	2461	3307	3432	3565

## Traditional Doors

Traditional Doors are supplied with mock leaded-effect windows as standard, applied to the external face of the window only. Plain windows are available as a no-cost option - please specify your requirement when ordering.



## Frames, Hinges & Door leaf Frames

Frames, hinges and door leaf frames in selected Trend colours & wood design are finished in a complementary flat colour:  
Golden Oak (RAL8003), Rosewood (RAL8016), Night Oak (RAL8014), Winchester (RAL8001), Textured Anthracite (RAL7016), Ice Crystal Grey Aluminium (RAL9007), TT9016 Bling White (RAL9016).  
Frames, hinges and door leaf frames are available in smooth finish only.

Prices are for a single colour to all components of the door. If you require a different colour for the frame or hinges to the door panel a surcharge will apply - please contact the office for details.

## TREND COLOURS

Flame Red RAL 3000	Fir Green RAL 6009	*White Aluminium RAL 9006
Window Grey RAL 7040	Anthracite Grey RAL 7016	*Grey Aluminium RAL 9007
Quartz Grey RAL 7039	Light Grey RAL 7035	Slate Grey RAL 7015
Steel Blue RAL 5011	Umbra Grey RAL 7022	Cream RAL 9001
Anthracite Textured RAL 7016	Ice Crystal Grey Aluminium	Jet Black RAL9005
Moss Green RAL 6005	Sepia Brown RAL 8014	TT 703 A special satin metallic effect - grey with micaaceous iron ore particles.

TT9016 Bling White with micaaceous iron ore particles glitter effect

## Colours

Where doors are exposed to direct sunlight, dark colours should be avoided.

RAL references for colours are provided as a guide only to the nearest similar RAL colour. Colours will not match to other RAL finishes due to different coating processes, gloss levels, substrates and textures. Similarly, special RAL, BS, wood effects or other colours will not be a precise match.

\*RAL9006 and 9007 pose particular problems when colour matching, more information is available via the sales office.

Colours shown are limited in accuracy by the printing process - samples should always be requested.

If you are matching to other finishes, particularly wood effects such as rosewood, golden oak, night oak or Winchester, always request a sample.

## POPULAR OPTIONS

### ACCESSORIES AND OPTIONS

**Pull Handles**  
Stainless Steel\*\* 38mm 'D' Handles (Length)

1200mm	277 each
1500mm	328 each

**Black Powder Coated Handle**  
Supplied in place of Stainless Steel\*\*\*

56

**Foot Stops**  
Supplied in place of door stays

FOC

**Over-Size Doors**  
Customer assistance required during delivery

POA

**Three point locking (Active leaf)**  
Minimum over frame height: 1850mm

460

**Additional Key Each**  
**Aluminium Strip Threshold Profile**

39

-50

\*\*For how to care for stainless steel see:  
[www.teckentrup.co.uk/garage-doors/frequently-asked-questions-faqs/stainless\\_care](http://www.teckentrup.co.uk/garage-doors/frequently-asked-questions-faqs/stainless_care)

\*\*\*Black powder coated handles may chip with use.

# POLYMER WINDOWS

## WINDOWS - POLYMER DOUBLE GLAZING

Windows construction: Polymer casement with polymer (Styrene Acrylonitrile) double glazed unit.

### Georgian



### Standard Rib, Centre Rib & Solid



Style	Overall Size	Colour / Finish	Price per Window
Rectangle 1	610 X 270	White	£128 each
Rectangle 2	680 X 210	Trend/Ral/Wood design	£168 each
Rectangle 3	980 X 140	White	£128 each
Square 1 & 2	270 x 270	Trend/Ral/Wood design	£168 each
GSA Aluminium Window Section	per linear m	White/Trend Ral/Wood design	POA POA

All polymer windows are available with these glazing options:



**Polymer Windows**

To price for windows fitted vertically down the door; square type 1 & 2, match windows to number of sections ie 4 sections = 4 windows).

Selected Trend colours & wood design windows are finished in a complementary flat colour for Golden Oak (RAL8003), Rosewood (RAL8016), Night Oak (RAL8014), Winchester RAL (8001), Textured Anthracite (RAL7016), Ice Crystal Grey Aluminium (RAL9007) and TT9016 Bling White (RAL9016).

The surrounds on aluminium GSA window sections are finished in a smooth finish. Window frame colour shade and surface lustre will show a variance from the panel finish as the base material and coating methods are different.

# EXTRA OPTIONS

## EXTRA TOUCHES

**PET FLAP**  
£42 fitting charge\*  
\*Customer supplied

**CODE LOCK**  
£574

**Smart Lock**  
£500  
Bluetooth

**Smart Upgrade**  
£80  
Apple Home Kit / Alexa

**SPY HOLE**  
£49

**LETTER box**  
From £74

# ALUMINIUM WINDOWS & DECALS

## ALUMINIUM WINDOWS - POLYMER DOUBLE GLAZING

Windows construction: Aluminium and polymer casement with polymer double glazed unit.

**Alpha**  
280mm x 280mm

**Sigma**  
610mm x 200mm

**Zeta**  
ø280mm

**Gamma**  
534mm x 344mm

**Kappa**  
1860mm x 180mm

**Athena**  
406mm x 203mm

**Versus**  
900mm x 1000mm

**PRICE PER WINDOW**  
£317

**PRICE PER WINDOW**  
£761

Minimum over frame height for Kappa windows used vertically on side hinged doors: 2010mm

**Satin**  
**Clear**

All aluminium windows are available with these glazing options (satin is supplied as standard).

## ALUNOX DECALS

Factory bonded alunox decals. Decals can be positioned to requested positions, however, popular arrangements are shown here.

**Access 1**  
431mm x 40mm

**Access 2**  
430mm x 40mm

**Access 3**  
215mm x 40mm

**Access 4**  
400mm x 86mm

**Access 5**  
180mm x 180mm

**Access 6**  
70mm x 70mm

**Access 7**  
150mm x 150mm

**Access 8**  
194 mm x 194 mm

**Access 9**  
436mm x 40mm

**Access 10**  
431mm x 13mm

**PRICE PER DECAL**  
£54

**PRICE PER DECAL**  
£54

**Writing**  
100mm 200mm


**PRICE PER DECAL**  
100mm £49

**PRICE PER DECAL**  
200mm £54


## TECHNICAL CARTECK SECTIONAL GARAGE DOORS GSW 40-L & GSA/SLX VISION

**DIMENSIONS    ORDERING SIZES = DRIVE THROUGH SIZES**

**Observe the following measurement details to guarantee exact assembly and precise, reliable operation of CarTeck sectional garage doors.**



## RECOMMENDED HORIZONTAL TRACK FIXING POINTS



### ORDERING NOTES:

Door heights achieved by mixing panel heights (except ribbed), use of 0, 9, 17, or 32mm bottom profiles or top & bottom panel cut downs.  
When ordering use metric sizes, imperial conversions are nominal.

### Frame holes & fixing brackets

Height	Width																		Height	
	2084	2134	2235	2286	2388	2438	2591	2743	3048	3353	3658	3962	4216	4267	4420	4572	4877	5182	5500	
3000																				3000
2875																				2875
2750																				2750
2625																				2625
2500																				2500
2375																				2375
2250																				2250
2204																				2204
2175																				2175
2125																				2125
2084																				2084
2050																				2050
2000																				2000
1925																				1925
1875																				1875
Height	2084	2134	2235	2286	2388	2438	2591	2743	3048	3353	3658	3962	4216	4267	4420	4572	4877	5182	5500	Height

Width

## HORIZONTAL TRACK LENGTHS



		Width																			
Height	2084	2134	2235	2286	2388	2438	2591	2743	3048	3353	3658	3962	4216	4267	4420	4572	4877	5182	5500	Height	
3000																				3000	
2875																				2875	
2750																				2750	
2625																				2625	
2500																				2500	
2375																				2375	
2250																				2250	
2204																				2204	
2175																				2175	
2125																				2125	
2084																				2084	
2050																				2050	
2000																				2000	
1925																				1925	
1875																				1875	
Height	2084	2134	2235	2286	2388	2438	2591	2743	3048	3353	3658	3962	4216	4267	4420	4572	4877	5182	5500	Height	

## SPECIFICATION

### GSW 40-L Sectional door

#### DOOR:

Sectional door double skinned PUR foam core, 40mm thick CarTeck panels. Outer surface finished in choice of 4 standard designs and all standard listed CarTeck colours. Inner surface stucco design, colour similar to RAL 9002. Sections have a centre seal; EPDM, header, and floor seals. Different order heights are made up from mixing panel sizes, 4 different bottom profile sizes and reduced top panel heights.

#### FRAME:

Door frame is made from galvanized sheet steel, coil coated with polyester, prime coated similar to RAL 9016 or other Trend colour. Protective strips with EPDM sealing lips on both sides of the vertical tracks.

#### HARDWARE:

Galvanised finish, screwed hinges to all sections, adjustable rollers with ball bearings. Multiple tension springs and double cable system housed in low friction housing above horizontal tracks.

#### AUTOMATION:

Door prepared for automation as standard with manual locking available as optional extra.

### COLOURS

RAL references for colours are provided as a guide only to the nearest similar RAL colour. Colours will not match to other RAL finishes due to different coating processes, gloss levels, substrates and textures. Similarly, special RAL, BS or other colours will not be a precise match.

The door panel, frames and window frame colour shade, and surface lustre will show some slight variation, this is due to different base materials and coating methods.

### GSA / SLX Vision Sectional door

#### DOOR:

Sectional door panels made from hollow aluminium profiles, 40mm depth filled with 16mm scratch resistant, polymer double glazing. Sections have a centre seal; EPDM, header, and floor seals. Door heights are achieved by equal division of panel heights ranging from 300mm to 750mm.

#### FRAME:

Door frame is made from galvanized sheet steel, coil coated with polyester, prime coated similar to RAL 9016 or other Trend colour. Protective strips with EPDM sealing lips on both sides of the vertical tracks.

#### HARDWARE:

Hardware, galvanised finish, screwed hinges to all sections, adjustable rollers with ball bearings. Multiple tension springs and double cable system housed in low friction housing above horizontal tracks.

#### AUTOMATION:


Door prepared for automation as standard.

### COLOURS

RAL references for colours are provided as a guide only to the nearest similar RAL colour. Colours will not match to other RAL finishes due to different coating processes, gloss levels, substrates and textures. Similarly, special RAL, BS or other colours will not be a precise match.

The door panel, frames and window frame colour shade, and surface lustre will show some slight variation, this is due to different base materials and coating methods.

## NO HOLES FRAME FIXING




### IMPORTANT !

When fixing a no-holes frame between the reveal you must secure the frame to the lintel as shown using the 'L' bracket supplied. This is pre-fitted to all no-holes frame legs.


If a good fixing cannot be achieved, alternative fixing methods must be used to secure the frame.



## CARTECK DRIVE 500 / 600 DIMENSIONS



## CARTECK DRIVE PRO 500 / 600 DIMENSIONS



## OPERATOR RAIL FOR CARTECK 260/70/80 & 360/370/380

Turning motor head through 90 degrees reduces overall length: 200 series -133mm 300 series -18mm



Carteck 260 / 360							Carteck 270 / 370				Carteck 280 / 380										
		Width																			
Height	2084	2134	2235	2286	2388	2438	2591	2743	3048	3353	3658	3962	4216	4267	4420	4572	4877	5182	5500	Height	
3000	4296mm																			3000	
2875	4296mm																			2875	
2750	4296mm																			2750	
2625	4296mm																			2625	
2500	3536mm																			2500	
2375	3536mm																			2375	
2250	3536mm																			2250	
2204	3536mm																			2204	
2175	3536mm																			2175	
2125	3536mm																			2125	
2084	3286mm																			2084	
2050	3286mm																			2050	
2000	3286mm																			2000	
1925	3286mm																			1925	
1875	3286mm																			1875	
Height	2084	2134	2235	2286	2388	2438	2591	2743	3048	3353	3658	3962	4216	4267	4420	4572	4877	5182	5500	Height	
		Width																			

## OPERATOR RAIL FOR CARTECK DRIVE & DRIVE PRO

		Width																			
Height		2084	2134	2235	2286	2388	2438	2591	2743	3048	3353	3658	3962	4216	4267	4420	4572	4877	5182	5500	Height
3000																					3000
2875																					2875
2750																					2750
2625																					2625
2500																					2500
2375																					2375
2250																					2250
2204																					2204
2175																					2175
2125																					2125
2084																					2084
2050																					2050
2000																					2000
1925																					1925
1875																					1875
Height		2084	2134	2235	2286	2388	2438	2591	2743	3048	3353	3658	3962	4216	4267	4420	4572	4877	5182	5500	Height
		Width																			

# TECHNICAL CARTECK SUPER SIZE SECTIONAL GARAGE DOORS GSW 40-L

## DIMENSIONS AND CLEARANCES



## HR HEADROOM REQUIREMENT

Heights			Widths	6000	6500	7000	7500	8000			
4 Sections	2250 7'4"	Rail Operator	Stand Headroom	400	450	-	-	-			
			Low Headroom	280	280	-	-	-			
		Direct Drive	Stand Headroom	400	450	450	450	450			
			Low Headroom	250	250	250	250	250			
5 Sections	2750 9'0"	Direct Drive	Stand Headroom	400	450	450	450	450			
			Low Headroom	250	250	250	250	250			
			6 Sections	3000 9'9"	Direct Drive	Stand Headroom	400	450	450	450	450
						Low Headroom	250	250	250	250	250

Max Width For Low Headroom = 7750  
280mm low headroom with rail operator is to prevent the top panel seal rubbing on the rail  
If this is not an issue then the door will fit in 250mm

## SPECIFICATION

### DOOR:

Sectional door double skinned PUR foam core, 40mm thick CarTeck panels. Outer surface finished in choice of 4 standard designs and all standard listed CarTeck colours. Inner surface stucco design, colour similar to RAL 9002. Sections have a centre seal, EPDM, header, and floor seals. Different order heights are made up from mixing panel sizes, 2 different bottom profile sizes and reduced top panel heights. Doors have reinforcing steel profiles on the rear of the panels.

### FRAME:

Door frame is made from hot dipped galvanised steel sections. Protective strips with EPDM sealing lips on both sides of the vertical tracks.

### HARDWARE:

Doors have galvanised frame legs and are supplied without a header strip. Hardware has galvanised finish, screwed hinges to all sections, adjustable rollers with ball bearings. Front or optional rear mounted torsion spring with load-bearing steel cables.

### AUTOMATION:

Electric 230V drive as standard, either direct or rail drive. Optical safety edge, hard wired to control system and photocells. Direct drive motor must have 16 amp supply direct to consumer unit. External release is not possible with direct drive motor, additional access must be available into garage.

### COLOURS


RAL references for colours are provided as a guide only to the nearest similar RAL colour. Colours will not match to other RAL finishes due to different coating processes, gloss levels, substrates and textures. Similarly, special RAL, BS or other colours will not be a precise match.

The door panel, frames and window frame colour shade, and surface lustre will show some slight variation, this is due to different base materials and coating methods.

# TECHNICAL CARTECK SIDE HINGED GARAGE DOORS GSW 40-L

## GEORGIAN DOORS

Horizontal doors have 2 columns of features as standard arranged 1/2 - 1/2, changing to an asymmetric three columns at the width shown below. 1/2 - 1/2 vertical doors have 2 rows of features as standard changing to three at the height shown right.



## SPECIFICATION

### DOOR:

Door leaves are fabricated using 40mm thick CarTeck panels with an extruded aluminium perimeter frame and integral seals. Doors with the optional standard threshold profile have an EPDM black threshold seal at the base. Each leaf is fitted with two or three (dependent on size) surface fixed hinges.

The door frame is an extruded aluminium profile with mitred corners and integral seals, for details refer to technical leaflet. A 3-part stepped aluminium threshold is also included. 10mm tolerance should be allowed to facilitate frame squaring during installation.

### HARDWARE:

Hardware comprises of a DIN standard CE marked European sashlock and a pair of stainless steel round bar lever handles on 50mm diameter roses. A Euro-profile cylinder and thumb turn with stainless steel escutcheons is included as standard (double cylinder, key both sides is available as an option if required). Two security keys are supplied with each cylinder. The inactive leaf is fitted with top and bottom recessed lever action flush bolts. A stay is fitted to each leaf to hold the door in the open position, any leaf below 780mm wide (including asymmetric side hinged doors) will not have a stay.

Stainless steel\*\* needs regular cleaning or will stain, especially in areas of high salt content.


### COLOUR:

The door frame and window frame colour shade and surface lustre will show a variance from the panel finish as the base material and coating methods are different. Where differing materials and process are adopted, such as side hinged GSW 40L garage doors, there may be some colour matching variations. Differing light conditions may further reduce or highlight this effect. The colours RAL9006 and 9007 pose particular problems when colour matching, more information is available via the sales office.

RAL references for colours are provided as a guide only to the nearest similar RAL colour. Colours will not match to other RAL finishes due to different coating processes, gloss levels, substrates and textures. Similarly, special RAL, BS or other colours will not be a precise match.

\*\*For how to care for stainless steel see: [www.teckentrup.co.uk/garage-doors/frequently-asked-questions-faqs](http://www.teckentrup.co.uk/garage-doors/frequently-asked-questions-faqs)

## DIMENSIONS AND CLEARANCES




## CLEARANCES

### IMPORTANT

When doors are ordered as a structural opening size, Teckentrup UK will deduct 20mm from the width and 10mm from the height for coursing tolerance. If this is more tolerance than you wish, please state the over-frame dimension you require.



The section height and the height of the handle 'x' depend on the actual door height and construction of the door.



## GENERAL SPARES

### GENERAL SPARES

		Price	Per
SECTIONAL	Bottom rubber	22	m
	Side seals	27	ea
	Top seal	11	m
	Bottom profile 0mm	27	m
	Bottom profile 9mm	34	m
	Bottom profile 17mm	40	m
	Bottom profile 32mm	53	m
	Top panel cut down profile	27	m
	Bottom panel cut down profile	27	m
	Panels use width of 4 section equivalent	20%	of total door price
	Legs	219	ea
	Horizontal Tracks	192	ea
	Tray covers	66	ea
	Spacer bars	27	m
	Headers	34	m
	Cables	66	pr
	Springs	27	ea
	Spring clips	9	ea
	Rollers/pulleys/shreave wheels	15	ea
	Spring tensioners (thread/nuts/hooks)	27	ea
SIDE HINGED	Intermediate brackets	40	ea
	Bottom brackets	40	ea
	Centre hinges	14	ea
	Top roller bracket including roller	40	ea
	Raised threshold (including internal & external ramps)	120	m
	Door stay (header bracket not included)	120	ea
	Door stay header bracket white	10	ea
	Door stay header bracket coloured	25	ea
WINDOWS	Window front white	53	ea
	Window front painted	103	ea
	Window glass (polymer)	53	ea
	Window back	53	ea
	Windows screws (14)	9	pk

## HINTS & TIPS

### HINTS & TIPS - CARTECK SECTIONAL GARAGE DOORS

#### Problem?

I'm back fixing a coloured door and the frame will be visible.

I'm fitting between the reveal, how do I cover the fixing holes?

No holes!  
(2250mm high maximum)

I'm fitting between the reveal, how do I get a secure fixing?


Headroom is limited, what's the minimum I can fit into?

There's a gas meter and a side door that are in the way, I need to lift the tracks, what can I do?

What sort of springing does the door have?

#### Solution!

Just order your door with matched frame legs and header.



Use our 3D covers or order one of our between fix frames - no holes to the front face so no need for 3D Covers!

Order one of our between the between fixing kits for a simple, adjustable and solid solution!



120mm will do the job even with an opener, yes, really 120mm! (Requires Spacer Bar Suspension Plate)

Just ask for our 240mm headroom option - it raises the tracks by and extra 120mm and it's a free option!

Just one type for fitters to learn! Extension springs in covered trays above the horizontal tracks.

## ORDER FORMS


### ORDER FORMS

Every product has an order form that allows you to specify all the details of your order and provide us with the information needed to process your order and generate a confirmation confirming specification and delivery date. Using order forms helps us to be efficient and prompts you for all the necessary information. They are interactive pdf files so can be quickly completed, emailed and saved. Download your copy from the technical guides and fitting instructions section of our web downloads page at:

[www.teckentrup.co.uk/downloads](http://www.teckentrup.co.uk/downloads)

# USEFUL REFERENCES

WHERE TO FIND...



Your team contact sheet.



All the reasons why CarTeck is to best solution for Trade and Consumer.




CarTeck sectional garage door brochure.



CarTeck side hinged garage door brochure.



CarTeck side hinged garage door hinge adjustment videos.



CarTeck supersize sectional garage doors brochure.



For more useful content – fitting instructions and technical information visit our downloads section  
[www.teckentrup.co.uk/downloads](http://www.teckentrup.co.uk/downloads)



For the latest news:  
[www.teckentrup.co.uk/company/news](http://www.teckentrup.co.uk/company/news)




For the Teckentrup TV:  
[www.teckentrup.co.uk/company/teckentrup-tv](http://www.teckentrup.co.uk/company/teckentrup-tv)



Teckentrup is a family business with operations throughout the world. In the UK Teckentrup is based in Warrington, Cheshire. Teckentrup products are available through a national network of independent Garage Door Specialist installers.

Teckentrup offers more than garage doors: We provide solutions and have set three quality standards for our garage doors:

# Design. Security. Service.



## Design

**We combine ease of use with aesthetics.**

Good design uses innovative technology to make using a product intuitive and effortless. Teckentrup garage doors offer a wide range of design options that will transform the look of your home and the way you use your garage space.



## Safety & Security

**We combine security with safety.**

Our products are designed to provide peace of mind with both physical security and the knowledge that durability and safe operation are inherent.



## Service

**We combine speed with reliability.**

The Teckentrup team and our network of Garage Door Specialist installers love to make your new door a pleasure to own. From planning to installation. You'll always receive expert advice and the best service for installation, maintenance and aftercare.

## Quality & Environment

Teckentrup operates to quality procedures audited to ISO 9001.

We care about the environment too - this is why our products are certified in accordance with the Environmental Product Declaration (EPD).

ISO 14001 Environmental Management  
ISO 50001 Energy Management



### DGNB

Deutsche Gesellschaft für Nachhaltiges Bauen e. V. German Sustainable Building Council

### BNB

Bewertungssystem Nachhaltiges Bauen - Evaluation system for sustainable building

### LEED

Leadership in Energy and Environmental Design

### BREEAM

Building Research Establishment Environmental Assessment Methodology



Teckentrup UK Limited,  
Units 2-4 Opus 9 Industrial Estate,  
Woburn Road, Winwick Quay Warrington WA2 8UE

**www.teckentrup.co.uk**  
**t: 01925 924 050**  
**f: 08701 314 843**  
**e: sales@teckentrup.co.uk**



Raising Standards  
Safety Assured

Member



CONTRACTORS HEALTH & SAFETY ASSESSMENT SCHEME  
Accredited Contractor



NBS Plus



LPCB