

CLASSIC, CONTEMPORARY

CarTeck Side Hinged Garage Doors & Side Doors



CarTeck Side Hinged Garage Doors



CarTeck Centre Ribbed Smooth - Jet Black
with lipped threshold option

& Side Doors



CarTeck Solid Smooth - Anthracite Grey with
Round Stainless Steel Window

Simply the best

Teckentrup side hinged garage doors and personnel doors are quite simply the very best. The solid panels, engineered hollow section aluminium frames and high grade fittings result in a door that closes with a reassuringly deep "clunk".

Security is excellent and the range of styles, finishes and windows allows personalisation to suit your tastes. 1/2 and 1/2 opening and asymmetric configurations further increase the doors' versatility.

Neat inside too

The inside of the door is very presentable. There are no unsightly bracings just a wipe clean surface finished in a practical grey white stucco texture (RAL 9002).



EN 14351-1

Our doors are independently tested and certified to all current safety legislation and carry a CE mark.

TECKENTRUP
DOOR SOLUTIONS

Every detail, perfect



High quality hinges

Aluminium hinges with secured hinge bolts make it extremely difficult to lever open the door and are easily adjusted. Two or three hinges are fitted to each leaf dependent on size.



Standard threshold

The aluminium profile supplied as standard, provides a simple low profile threshold.



Double weather strips and mitred corners

In addition to the circumferential weather strip around the door leaf, the door frame has a three-sided weather strip for excellent draught reduction. Profiles are mitre jointed for a neat finish.



Door stays

These top grade, spring dampened stays hold the door securely in the open position. A simple de-latch motion releases the held door leaf. Any leaf below 780mm wide (including asymmetric side hinged doors) will not have a stay.



Note - not designed for high wind applications.

BUILT TO LAST




Flush bolt security

The inactive leaf is secured with flush bolts to the top and bottom of the leaf. The picture on the left also shows the rot proof floor weather strip and the inner rebate.

Stainless steel handles and security locking

High grade stainless steel handles and lock covers are tough and attractive, whilst the latch and dead bolt combination provides dependable security. A convenient thumb turn operates the lock from the inside.

The inactive leaf incorporates a stainless steel strike plate and steel lock keep box for added attack resistance. If you have a specific hardware requirement, talk to us as alternative designs can often be accommodated.



Security keys

Each door includes two security keys. Security keys add extra security by preventing unauthorised copying. They cannot be cut by anyone other than the issuer of the key - Teckentrup.



Lipped threshold option

For improved weather protection, a stepped aluminium threshold with a bulb weather strip is available as an optional extra. The door leaves close against the raised weather strip creating an improved barrier to dust and debris. The threshold includes a thermal break reducing heat transfer.



Triple point locking option

The active leaf is available with three point locking for greatly enhanced security. The locks provide enhanced strength to combat attempts to force them apart.



Superior Quality



Solid 40mm thick panels

Doors are built with 40mm thick interlocking panels and an aluminium hollow section frame that provides excellent strength, rigidity and resistance to corrosion.



Mitred Frames

The mitred door leaf frame and door frame are finished in a matching smooth finish for white, Trend and RAL coloured doors and a complimentary flat colour for Golden Oak (RAL8003), Rosewood (RAL8016) and Night Oak (RAL8014) wood design finishes. (The door frame colour shade and surface lustre will show a variance from the panel finish as the base material and coating methods are different.)



Guarantee: All doors have a 2 year guarantee against mechanical defects and a 10 year guarantee against perforation of the door panel. Terms and conditions apply, visit www.teckentrup.co.uk for details.

2/10

2/10 Year Guarantee

TECKENTRUP
DOOR SOLUTIONS

CarTeck Side Hinged Georgian

CarTeck Georgian Horizontal - Woodgrain Anthracite Grey with Multiple Mullion Windows

CarTeck Georgian Vertical - Woodgrain Rosewood



CarTeck Side Hinged Georgian Horizontal

1/2 and 1/2 split ☐ Asymmetric split ☐



1/2 and 1/2 split width up to 2350mm



Asymmetric split width up to 2350mm



Asymmetric split width above 2350mm

CarTeck Side Hinged Georgian Vertical

1/2 and 1/2 split ☐



1/2 and 1/2 split Height below 2200mm*



1/2 and 1/2 split Height above 2200mm*

*2250mm with windows



Georgian Vertical with Rhombus Mullion Windows & custom painted Chartwell Green

Surface Textures



Woodgrain



Colours




Flame Red
RAL 3000



Fir Green
RAL 6009



Moss Green
RAL 6005



Sepia Brown
RAL 8014




Window Grey
RAL 7040



Anthracite
Grey RAL 7016



White Aluminium
RAL 9006



Cream
RAL 9001



Quartz Grey
RAL 7039




Light Grey
RAL 7035




Grey Aluminium
RAL 9007



Jet Black
RAL 9005



White
RAL 9016



Umbra Grey
RAL 7022




Steel Blue
RAL 5011



TT703 satin
metallic grey
with micaceous
iron ore particles



Anthracite
Textured
RAL 7016



Ice Crystal Grey
Aluminium



Doors can also
be coloured to
any RAL shade.

Wood effects



Golden Oak



Rosewood



Night oak



Georgian Horizontal in
Moss Green



Georgian Vertical with
Cross Mullion windows

Windows

Vertical



Rectangle 1



Cross Mullion



Multiple Mullion



Rhombus Mullion



Horizontal



Rectangle 1



Cross Mullion



Multiple Mullion



Rhombus Mullion



The images above show the most popular window combinations. If you'd like alternative window configuration, just ask!

CarTeck Georgian Horizontal - Woodgrain Golden Oak



CarTeck Side Hinged Solid ☐

CarTeck Solid Horizontal -
Smooth Anthracite Grey



CarTeck Solid Horizontal -
Wood Effect Night Oak




CarTeck Side Hinged Solid Vertical ☐



CarTeck Side Hinged Solid Horizontal ☐



Surface Textures



Smooth



Woodgrain



Stucco



Micro-profiled



Colours



Flame Red
RAL 3000



Fir Green
RAL 6009



Moss Green
RAL 6005



Sepia Brown
RAL 8014




Window Grey
RAL 7040



Anthracite
Grey RAL 7016



White Aluminium
RAL 9006



Cream
RAL 9001



Quartz Grey
RAL 7039




Light Grey
RAL 7035



Grey Aluminium
RAL 9007



Jet Black
RAL 9005



White
RAL 9016




Umbra Grey
RAL 7022




Steel Blue
RAL 5011



TT703 satin
metallic grey
with micaceous
iron ore particles



Anthracite
Textured
RAL 7016



Ice Crystal Grey
Aluminium



Doors can also
be coloured to
any RAL shade.

Wood effects



Golden Oak



Rosewood



Night oak



Handle Options

Stainless Steel 'D' Handles



1500mm



1200mm



Windows

Horizontal



Square Type 1



Square Type 2



Rhombus Mullion



Rectangle 1



Rectangle 2



Rectangle 3



Cross Mullion



Multiple Mullion



Round Stainless
ø242



Round Stainless
ø330



Vertical



Rectangle 1



Cross Mullion



Multiple Mullion



Rhombus Mullion



The images above show the most popular window combinations. If you'd like alternative window configuration, just ask!

CarTeck Side Hinged Centre Ribbed ☐

CarTeck Centre Ribbed Vertical -
Smooth Anthracite Grey with 1200mm
Stainless Steel 'D' Handles


CarTeck Centre Ribbed Horizontal - Woodgrain
with Rectangle 2 Windows




CarTeck Side Hinged Centre Ribbed Vertical ☐




CarTeck Side Hinged Centre Ribbed Horizontal ☐




1/2 and 1/2 split ☐



Asymmetric ☐




1/2 and 1/2 split ☐



Asymmetric ☐

Surface Textures




Smooth ☐



Woodgrain ☐



Stucco ☐



Micro-profiled ☐

Colours



Flame Red
RAL 3000



Fir Green
RAL 6009



Moss Green
RAL 6005




Sepia Brown
RAL 8014



Window Grey
RAL 7040



Anthracite
Grey RAL 7016



White Aluminium
RAL 9006



Cream
RAL 9001



Quartz Grey
RAL 7039



Light Grey
RAL 7035



Grey Aluminium
RAL 9007



Jet Black
RAL 9005




White
RAL 9016




Umbra Grey
RAL 7022




Steel Blue
RAL 5011



TT703 satin
metallic grey
with micaceous
iron ore particles



Anthracite
Textured
RAL 7016




Ice Crystal Grey
Aluminium



Doors can also
be coloured to
any RAL shade.


Wood effects



Golden Oak ☐



Rosewood ☐



Night oak ☐

Handle Options

Stainless Steel 'D' Handles



1500mm ☐



1200mm ☐

Windows

Horizontal




Square Type 1 ☐



Square Type 2 ☐



Rhombus Mullion ☐



Rectangle 1 ☐



Rectangle 2 ☐



Rectangle 3 ☐



Cross Mullion ☐



Multiple Mullion ☐



Round Stainless
ø242 ☐



Round Stainless
ø330 ☐

Vertical



Rectangle 1 ☐



Cross Mullion ☐



Multiple Mullion ☐



Rhombus Mullion ☐

The images above show the most popular window combinations. If you'd like alternative window configuration, just ask!

CarTeck Side Hinged Standard Ribbed

CarTeck Standard Ribbed
Vertical Fir Green - Woodgrain



CarTeck Standard Ribbed Vertical - Woodgrain
with Rectangle 1 Windows in Anthracite Grey




CarTeck Side Hinged Standard Ribbed Vertical



CarTeck Side Hinged Standard Ribbed Horizontal



Surface Textures



Smooth



Woodgrain



Stucco



Micro-profiled

Colours



Flame Red
RAL 3000



Fir Green
RAL 6009



Moss Green
RAL 6005



Sepia Brown
RAL 8014




Window Grey
RAL 7040



Anthracite
Grey RAL 7016



White Aluminium
RAL 9006



Cream
RAL 9001



Quartz Grey
RAL 7039




Light Grey
RAL 7035




Grey Aluminium
RAL 9007



Jet Black
RAL 9005



White
RAL 9016



Umbra Grey
RAL 7022




Steel Blue
RAL 5011



TT703 satin
metallic grey
with micaceous
iron ore particles



Anthracite
Textured
RAL 7016



Ice Crystal Grey
Aluminium



Doors can also
be coloured to
any RAL shade.

Wood effects



Golden Oak



Rosewood



Night oak

Handle Options

Stainless Steel 'D' Handles



1500mm




1200mm

Windows

Horizontal



Square Type 1



Square Type 2



Rhombus Mullion



Rectangle 1



Rectangle 2



Rectangle 3



Cross Mullion



Multiple Mullion



Round Stainless
ø242



Round Stainless
ø330

Vertical



Rectangle 1



Cross Mullion



Multiple Mullion



Rhombus Mullion

The images above show the most popular window combinations. If you'd like alternative window configuration, just ask!

Make the most of light

Make the most of light

Scratch-resistant, 20mm double glazed, easy-clean windows in attractive designs allow natural light into your garage.

Each style is available with clear, frosted or satin glazing. The window units are fitted with a polyurethane frame that is coloured to match or compliment the panel colour of the door.



Solid Horizontal - Smooth White with Round White Windows



Solid Vertical - Smooth Custom Colour with Square 230 x 230 Stainless Steel Windows & 1500mm Stainless Steel 'D' Handles



Cross Mullion



Multiple Mullion



Rectangle type 1



Rhombus Mullion



Rectangle type 2**




Rectangle type 3**



Square Type 1



Square Type 2



Square Type 1
Stainless
Also available in
aluminium



Square Type 2
Stainless
Also available in
aluminium



Round Stainless



White polyurethane



Solid Horizontal -
Smooth TT 703 with Round
Stainless Steel Window

**Available on standard ribbed, Centre ribbed and solid profile doors only.

Windows

	Style Finish	Overall Size (mm)	Colour/
	Rectangle 1	610 X 270	White
	Rectangle 1	610 X 270	Trend/Ral/Wood design*
	Rectangle 2	680 X 210	White
	Rectangle 2	680 X 210	Trend/Ral/Wood design*
	Rectangle 3	980 X 140	White
	Rectangle 3	980 X 140	Trend/Ral/Wood design*
	Square 1 & 2	270 x 270	White
	Square 1 & 2	270 x 270	Trend/Ral/Wood design*
	Square	230 x 230	Stainless Steel
	Square	310 x 310	Stainless Steel
	Square	280 x 280	Aluminium
	Round	Ø 385	White
	Round	Ø 385	Trend/Ral/Wood design*
	Round	Ø 242	Stainless Steel
	Round	Ø 330	Stainless Steel

* Painted Wood Design windows are finished in a complementary flat colour for Golden Oak (RAL8003), Rosewood (RAL8016) and Night Oak (RAL8014).

Installation dimensions side hinged doors

Performance features EN 13241-1 for Declaration of Performance see
<http://www.teckentrupdepot.co.uk/downloads/pdf/Side%20Hinged-DOP.pdf>

Heat Insulation (DIN EN ISO 12428)	NPD
Air permeability (DIN EN 12426)	NPD
Resistance to wind load (DIN EN 12424)	Class 2
Resistance to water penetration (DIN EN 12425)	NPD
Fire behaviour (DIN EN 4102)	NPD


Teckentrup side hinged doors are manufactured to high standards and it is always our intention to market our products in an honest fashion. The above table is shown to illustrate that we make no performance claims that can be measured against the identified standards. Whilst our door panels have a rigid foam core, the hollow section frame and the attachment of hardware act as a thermal bridge between the inner and outer surface and, as such, we make no claims for insulating properties.






The section height and the height of the handle 'x' depend on the actual door height and construction of the door.

Note: The data is provided as a guide only as variances will occur with panel design.

Installation behind the soffit, only inward opening




Installation within the soffit, inward or outward opening




Georgian Doors

Horizontal doors have 2 columns of features as standard arranged 1/2 - 1/2, changing to an asymmetric three columns at the width shown right. 1/2 - 1/2 vertical doors have 2 rows of features as standard changing to three at the height shown right.



Minimum width Georgian single leaf 850mm, double leaf 1350mm



IMPORTANT

When doors are ordered as a structural opening size, Teckentrup UK will deduct 20mm from the width and 10mm from the height for coursing tolerance. If this is more tolerance than you wish, please state the over-frame dimension you require.

Colour The door frame colour shade and surface lustre will show a variance from the panel finish as the base material and coating methods are different. Where differing materials and process are adopted, such as side hinged GSW 40L garage doors, there may be some colour matching variations. Differing light conditions may further reduce or highlight this effect. The colours RAL9006 and 9007 pose particular problems when colour matching, more information is available via the sales office. **Please Note:** Where doors are exposed to direct sunlight dark colours should be avoided. Colours will be similar to the RAL references stated and colours shown in this brochure and are approximations only and limited by the printing process.

The Complete Solution

Alternative or complimentary

Side Hinged and Sectional Garage Doors

Side hinged doors are an alternative to sectional doors but can also compliment them with matching side access. Getting your lawn mower out of the garage? A side hinged door is perfect and, for ride on mowers, a pair of doors allows drive in access.

For full details of the Teckentrup sectional garage door range, call 01925 924050 for a copy of our brochure or visit www.teckentrup.co.uk.



Outstanding products, British company

Teckentrup is a family business with operations throughout the world and manufactures side hinged garage doors, personnel doors, sectional garage doors, steel hinged doorsets and industrial doors.

Teckentrup UK is a British company that takes German engineering excellence and adds British know-how to produce a unique range of high quality domestic, commercial and industrial products!

In the UK we make our garage doors in Warrington, Cheshire. Our garage doors are available through a national network of independent Garage Door Specialist Installers.



**Teckentrup UK Limited,
Units 2-4 Opus 9 Industrial Estate,
Woburn Road, Winwick Quay Warrington WA2 8UE**

www.teckentrup.co.uk

t: 01925 924 050

f: 08701 314 843

e: sales@teckentrup.co.uk



Raising Standards
Safety Assured



CONTRACTORS HEALTH & SAFETY ASSESSMENT SCHEME
Accredited Contractor
www.chas.co.uk

Member



September 2019. As ours is a policy of progressive design, we reserve the right to alter specification without prior notice. Errors and omissions excepted.